

**UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

**DATA ON THE CHARACTERISTICS OF DATED GOUGES ON THE
INNER SHELF OF THE BEAUFORT SEA, ALASKA; 1977-1985**

BY

William S. Weber, Peter W. Barnes, and Erk Reimnitz

Open-File Report 89-151

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards and nomenclature. Any use of trade names is for descriptive purposes only and does not imply endorsement by the USGS.

Menlo Park, California

1989

Data on the Characteristics of Dated Gouges on the Inner Shelf of the Beaufort Sea, Alaska; 1977 to 1985

By William S. Weber, Peter W. Barnes, and Erk Reimnitz

In this report we present data (Appendix I) on the characteristics of ice-gouges of known age on the inner shelf of the Beaufort Sea off Northern Alaska. The data are based on a series of repetitive side-scan sonar and precision bathymetric surveys made between 1977 and 1985 along 9 corridors (Figure 1). Insights and implications regarding the rates of sediment disruption by sea ice, year to year variability of ice-gouge processes, and influence on sedimentary structures, morphology and sediment transport have been discussed elsewhere (Reimnitz and Barnes, 1974; Reimnitz et al., 1977; Barnes et al., 1984; Barnes et al., 1978; Barnes and Rearic, 1985; Rearic, 1986a; Rearic, 1986b; Rearic and Ticken, 1988; and Rearic et al., (in press)). In addition, these reports provide details regarding background, methods, observations, and conclusions concerning ice-gouge processes.

This report details the data set that forms the basis for our reports on repetitive surveys, updates the Barnes and Rearic (1985) data set, and provides new data from two 1985 surveys. The report assumes a knowledge of the terminology as reported in the cited references. Briefly, a "dated gouge" is one that was formed in the interim between two surveys; multiple gouges or multiplets form adjoining parallel grooves on the seafloor from a single gouging event, while single gouges are isolated single grooves. The measurements taken from the sonograph (Segment, TG, TDG, SGL, SGW, SGO, MGL, MG#, MGW, MGO, and DIM) and fathogram (Depth, SGD, S/MRH, and MGD) records have been abbreviated as follows:

CRDR # - corridor number (Fig 1)

Year - year of survey

Tr# - trackline number in year of survey

SEG/DIST - 1 kilometer segments along trackline or kilometer distance measurement
locating data point. Both measurements starting at nearshore end of trackline.

Depth - water depth

TG - total number of gouges in segment (1 km)

TDG - total number of dated gouges in segment (1 km)

SGL - single gouge length

SGD - single gouge depth below seafloor

SGW - single gouge width

SGO - single gouge orientation (0-180 degrees)

S/MRH - single/multiple gouge ridge height above seafloor

DIM - direction of ice movement indicated by gouge termination feature

MGL - multiple gouge length

MG# - number of gouges in multiplet

MGD - depth below seafloor of deepest gouge in multiplet

MGW - width of seafloor disruption created by multiplet

MGO - multiplet orientation (0-180 degrees).

All depths, widths, lengths, and heights are given in meters.

Floppy disk copies of this report in Macintosh format ONLY are available upon request.

Please contact the authors c/o:

U.S. Geological Survey
Branch of Marine Geology
345 Middlefield Rd. MS 999
Menlo Park, Ca. 94025

The following software can be used for access to the various components of the diskette file:

Corridor Data (Text file): Microsoft Excel
Cover Page, Text, & References: Microsoft Word
Figure 1 (PICT file): Adobe Illustrator.




Figure 1: Location map indicating corridor locations and generalized bathymetry for the Alaskan Beaufort Sea.

REFERENCES CITED

- Barnes, P.W., McDowell, D.M., and Reimnitz, Erk, 1978, Ice gouging characteristics: their changing patterns from 1975-1977, Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 78-730, 42 p.
- Barnes, P.W., Rearic, D.M., and Reimnitz, Erk, 1984, Ice gouge characteristics and processes: in Barnes, P.W., Schell, D.M., and Reimnitz, Erk, (eds.), *The Alaskan Beaufort Sea - Ecosystem and Environment*, Academic Press, New York, p.159-184.
- Barnes, P.W., and Rearic, D.M., 1985, Rates of sediment disruption by sea ice as determined from characteristics of dated ice gouges created since 1975 on the inner shelf of the Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 85-473, 38 p.
- Rearic, D.M., 1986a, Temporal and spatial character of newly formed gouges in eastern Harrison Bay, Alaska, 1977-1982: U.S. Geological Survey Open-File Report 86-391, 18 p.
- Rearic, D.M., 1986b, Estimates of sea-ice energy expenditure on the seafloor of the Beaufort Sea, Alaska: in Proceedings of the 5th International Symposium on Offshore Mechanics and Arctic Engineering, American Society of Mechanical Engineers, Tokyo, Japan, April 13-17, 1986, v. 4, p. 589-592.
- Rearic, D. M., and Ticken, E. J., 1988, Ice-gouge processes in the Alaskan Beaufort Sea: in, Chen, A.T., and Leidersdorf, C.B., eds., *Arctic Coastal Processes and Slope Protection Design*, Technical Council on Cold Regions Engineering Monograph, American Society of Civil Engineers, p. 85-107.
- Rearic, D.M., Reimnitz, Erk, and Barnes, P. W., in press, Bulldozing and resuspension of shallow-shelf sediment by ice keels: implications for arctic sediment transport: *Marine Geology*.
- Reimnitz, Erk, and Barnes, P.W., 1974, Sea ice as a geologic agent on the Beaufort Sea shelf of Alaska, in Reed, J.C., and Sater, J.E., (eds.), *The Coast and Shelf of the Beaufort Sea*, The Arctic Institute of North America, Arlington, VA, p. 301-351.
- Reimnitz, Erk, Barnes, P.W., Toimil, L.J., and Melchior, J., 1977, Ice gouge recurrence and rates of sediment reworking, Beaufort Sea, Alaska: *Geology* v.5, p.405-408.

APPENDIX I

CORRIDOR 1

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MG0
1	77	35	AB/00	4.4	17
1	77	35	BC/01	7.4	28
1	77	35	CD/02	7.6	55
1	77	35	DE/03	8.4	74
1	77	35	EF/04	9.6	64
1	77	35	FG/05	10.0	60
1	77	35	GH/06	9.9	69
1	77	35	HI/07	10.3	60
1	77	35	IJ/08	10.8	64
1	77	35	JK/09	11.5	91
1	77	35	KL/10	12.1	98
1	77	35	LM/11	12.9	82
1	77	35	MN/12	13.1	96
1	77	35	NO/13	13.5	100
1	77	35	OP/14	13.9	84
1	77	35	PQ/15	14.4	97
1	77	35	QR/16	14.6	117
1	77	35	RS/17	14.9	97
1	77	35	ST/18	15.3	88
1	77	35	TU/19	15.4	116
1	77	35	UV/20	15.8	123
1	77	35	VW/21	15.9	112
1	77	35	WX/22	16.2	115
1	77	35	XY/23	16.4	121
1	77	35	YZ/24	16.5	112
1	77	35	Z/END	16.5
1	78	14	AB/00	4.2	0	0
1	78	14	BC/01	7.5	8	2
1	78	14	1.50	7.8	.	6
1	78	14	CD/02	7.7	8
1	78	14	2.30	8.0
1	78	14	2.80	8.5
1	78	14	DE/03	8.8	2	0
1	78	14	EF/04	9.6	8	0
1	78	14	FG/05	10.0	8	6
1	78	14	5.40	10.0
1	78	14	5.65	10.0
1	78	14	5.85	9.9
1	78	14	5.85	9.9
1	78	14	5.85	10.1
1	78	14	5.99	10.0
1	78	14	5.99	10.0

CORRIDOR 1

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MG0
1	78	14	GH/06	10.0	3	0
1	78	14	HI/07	10.5	5	0
1	78	14	IJ/08	10.7	17	1
1	78	14	8.60	11.5	.	.	.	0.3	3	25	0.1	150
1	78	14	JK/09	11.5	75	18
1	78	14	9.25	11.6	3	.	17	155
1	78	14	9.25	11.6	3	.	11	155
1	78	14	9.35	11.7	.	.	.	0.2	3	130	0.1	.	.	2	0.2	14	130
1	78	14	9.40	11.7	.	.	.	0.1	2	.	0.1	.	.	4	0.1	13	20
1	78	14	9.65	11.9	.	.	280	105	4	.	9	5
1	78	14	9.85	11.9	831	4	.	9	5
1	78	14	9.99	12.0	831	4	.	9	5
1	78	14	KL/10	12.0	76	5	4	.	9	5
1	78	14	10.25	12.1
1	78	14	10.55	12.3	.	.	25	0.1	2	60	0.1
1	78	19	LM/11	12.5	91	4	.	.	7	120	0.1
1	78	19	11.30	12.6	.	.	50	0.1	3	170	0.1	115
1	78	19	11.60	12.7	.	.	108	0.1	11	160	0.1
1	78	19	11.80	12.8	.	.	138	0.1	2	160	0.1	315
1	78	19	11.80	12.8	.	.	.	0.1	2	160	0.1
1	78	19	MN/12	12.8	94	15	.	.	2	170	0.1
1	78	19	12.30	13.0	.	.	.	0.1	2	.	0.1
1	78	19	12.45	13.0	.	.	.	0.1	5	55	0.1	.	.	4	0.1	23	55
1	78	19	12.45	13.0	.	.	117	7	.	65	55
1	78	19	12.45	13.0	.	.	163	.	2	175
1	78	19	12.65	13.0	.	.	43	.	2	5
1	78	19	12.75	13.0
1	78	19	NO/13	13.2	141	21
1	78	19	13.01	13.2
1	78	19	13.60	13.4	125
1	78	19	13.60	13.4
1	78	19	13.70	13.4	.	.	.	0.1	3	160	0.4
1	78	19	13.90	13.5
1	78	19	OP/14	13.5	137	18
1	78	19	14.10	13.8	.	.	35	0.1	2	190	0.1
1	78	19	14.15	13.8	9	0.2	21	160
1	78	19	14.25	13.5	3	0.1	8	155
1	78	19	14.50	13.9	4	0.1	12	155
1	78	19	14.80	13.8	2	5
1	78	19	PO/15	14.0	61	8
1	78	19	15.80	14.3	8	0.3	60	154

CORRIDOR 1

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MG0
1	78	19	QR/16	14.3	71	4
1	78	19	16.05	14.3	2	0.2	20	151
1	78	19	16.65	14.5	2	0.5	17	144
1	78	19	RS/17	14.7	69	0
1	78	19	ST/18	15.0	64	0
1	78	19	TU/19	15.3	102	0
1	78	19	UV/20	15.5	118	0
1	78	19	VW/21	15.7	108	0
1	78	19	21.30	15.6	5	0.4	21	149
1	78	19	21.50	15.6	5	0.5	28	164
1	78	19	WX/22	15.8	81	4
1	78	19	22.40	15.9	.	.	.	0.1	2	6	0.1
1	78	19	22.99	16.0	3	0.3	21	152
1	78	19	XY/23	16.0	79	5	3	0.3	21	152
1	78	19	23.01	16.0	3	0.3	21	152
1	78	19	23.55	16.0	.	.	.	0.1	2	162	0.1
1	78	19	23.55	16.0	.	.	.	0.3	18	124	0.3	249
1	78	19	YZ/24	16.5	58	0
1	78	19	ZEND	16.7
1	79	13	AB/00	4.7	8	4	92	.	.	.
1	79	13	0.30	5.1	2	0.1	5	0
1	79	13	0.30	5.1	1	32	0.1
1	79	13	0.30	5.1	1	157	0.1
1	79	13	BC/01	5.7	6	4
1	79	13	1.75	6.9	.	.	.	0.1	1	11	0.1
1	79	13	1.75	6.9	.	.	.	0.1	1	176	0.1	120
1	79	13	1.75	6.9	.	.	.	0.1	1	170	0.1
1	79	13	1.90	7.5	.	.	.	0.1	3	6	0.1
1	79	13	CD/02	8.2	28	13	235
1	79	13	2.05	8.2	.	.	.	0.1	2	20	0.1
1	79	13	2.30	7.8	.	.	.	0.1	2	0	0.1
1	79	13	2.65	8.2	.	.	.	0.1	2	140	0.1
1	79	13	2.60	8.0	.	.	.	0.1	1	140	0.1
1	79	13	2.60	8.0	.	.	.	0.1	2	170	0.1
1	79	13	2.75	7.9
1	79	13	2.85	8.1	5	0.1	18	10
1	79	13	DE/03	8.2	20	20	3	0.1	13	162
1	79	13	3.30	8.5	5	0.1	12	10
1	79	13	3.50	9.0	15	0.1	47	175
1	79	13	EF/04	9.3	15	12
1	79	13	4.15	9.4	12	0.1	45	175

CORRIDOR 1

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MG0
1	79	13	FG/05	10.0	3	0
1	79	13	GH/06	9.8	1	1
1	79	13	6.10	10.0	.	.	.	0.1	2	150	0.1
1	79	13	HI/07	10.1	5	4
1	79	13	7.70	10.2	.	.	35	0.1	3	28	0.1
1	79	13	7.80	10.8	2	0.1	19	158
1	79	13	7.85	10.5	.	.	22	0.1	2	135	0.1
1	79	13	IJ/08	10.6	11	9
1	79	13	8.01	10.6	.	.	30	0.1	2	158	0.1
1	79	13	8.01	10.6	2	0.1	13	158
1	79	13	8.25	11.0
1	79	13	8.40	11.1	.	.	30	0.1	2	158	0.1	102	
1	79	13	8.40	11.1	3	0.1	20	157
1	79	13	8.80	11.2	221	2	0.1	12	132
1	79	13	JK/09	11.2	34	6	46
1	79	13	9.05	11.3	.	.	.	0.2	8	132	0.1
1	79	13	9.05	11.3	.	.	.	0.1	1	152	0.1
1	79	13	9.05	11.3	.	.	123	0.1	3	140	0.1
1	79	13	9.15	11.4	.	.	.	0.1	2	140	0.1
1	79	13	9.15	11.4	.	.	.	0.1	2	140	0.1
1	79	13	9.80	11.7	.	.	.	0.1	2	126	0.1
1	79	13	9.95	11.7	.	.	.	0.1	3	11	0.1
1	79	13	KL/10	11.8	86	15
1	79	13	10.30	11.9	.	.	.	0.4	7	92	0.7
1	79	13	10.40	12.0	.	.	.	0.1	2	155	0.1
1	79	13	10.60	12.0	375	4	0.1	20	0
1	79	13	10.70	12.0	3	148
1	79	13	10.75	12.0	2	148
1	79	13	10.75	12.0	.	.	62	0.1	2	114	0.1
1	79	13	10.80	11.8	5	5
1	79	13	10.90	12.3	.	.	.	0.1	2	140	0.1
1	79	13	10.90	12.3	.	.	.	0.1	2	140	0.1
1	79	13	10.90	12.3	.	.	.	0.1	2	140	0.1
1	79	13	10.95	12.2	.	.	.	0.1	2	142	0.1
1	79	13	10.95	12.2	.	.	.	0.2	3	148	0.1
1	79	13	LM/11	12.2	51	9
1	79	13	11.15	12.3	.	.	.	0.2	3	148	0.1
1	79	13	11.15	12.3	.	.	72	.	3	140
1	79	13	11.20	12.3	.	.	.	0.1	2	144	0.1
1	79	13	11.75	12.4	.	.	.	0.1	1	161	0.1
1	79	13	11.80	12.4	.	.	130	.	2	3	.	127
1	79	13	11.80	12.4	.	.	150	.	2	3
1	79	13	11.90	12.5	.	.	105	0.1	2	167	0.1
1	79	13	11.90	12.5	.	.	127	0.1	2	167	0.1

CORRIDOR 1

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
1	79	13	11.90	12.5	.	.	190	.	2	.	0.1	124
1	79	13	11.95	12.6	.	.	117	0.1	3	131	0.1
1	79	13	MN/12	12.7	51	2
1	79	13	12.20	12.9	.	.	75	.	3	143
1	79	13	12.25	12.9	.	.	30	0.1	2	55	0.1
1	79	13	NO/13	13.1	68	2
1	79	13	13.30	13.1	.	.	.	0.1	2	55	0.1
1	79	13	13.35	13.2	.	.	.	0.1	2	42	0.1
1	79	13	OP/14	13.2	73	6
1	79	33	14.05	13.5	53	2	.	7	14
1	79	33	14.45	13.4	.	.	60	.	5	19
1	79	33	14.50	13.2	.	.	206	0.1	2	19	0.1
1	79	33	14.50	13.2	.	.	.	0.1	3	159	0.1
1	79	33	14.90	13.8	3	170
1	79	33	PQ/15	13.8	64	24
1	79	33	15.20	13.8	3	170
1	79	33	15.50	14.0	22	.	95	0
1	79	33	15.80	14.2	.	.	25	0.1	2	148	0.1
1	79	33	QR/16	14.1	85	8
1	79	33	16.35	14.2	.	.	.	0.1	2	5	0.1
1	79	33	16.55	14.4	4	0.2	9	168
1	79	33	16.60	14.2	2	0.1	15	148
1	79	33	16.95	14.4	.	.	200	.	3	168	.	112
1	79	33	RS/17	14.4	45	3	200	.	3	168
1	79	33	17.05	14.5
1	79	33	17.20	14.6	3	168	.	.	.	2	.	8	168
1	79	33	ST/18	14.7	76	8
1	79	33	18.15	14.9	3	0.1	18	134
1	79	33	18.20	14.8	.	.	.	0.2	2	140	0.3
1	79	33	18.25	14.7	2	160	.	.	.	2	.	9	14
1	79	33	18.30	14.8	160
1	79	33	18.90	15.0	.	.	.	0.1	1	159	0.1
1	79	33	TU/19	15.0	85	1	.	0.2	3	140	0.1
1	79	33	19.55	15.0
1	79	33	UV/20	15.2
1	79	33	VW/21	15.3
1	79	33	WX/22	15.4	71	0
1	79	33	X/END	15.8
1	80	17	AB/0	5.5
1	80	17	BC/1	6.1
1	80	17	CD/2	8.2	40	16

CORRIDOR 1

CRDPR#	Year	T#	SEGDIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
1	80	17	2.75	8.1	.	.	68	.	2	163
1	80	17	2.75	8.1	22	3	.	10	.
1	80	17	2.80	8.4	.	.	37	.	3	125
1	80	17	2.80	8.4	262	.	9	.	50	137
1	80	17	2.95	8.5	3	150
1	80	17	2.95	8.5	.	.	.	0.1	1	137	0.1
1	80	17	DE/3	8.6	48	30
1	80	17	3.01	8.6	3	150
1	80	17	3.05	8.6	2	137	0.1
1	80	17	3.20	8.7	.	.	.	0.1	2	137	0.1
1	80	17	3.25	8.8	.	.	.	0.1	2	125	0.1
1	80	17	3.40	9.0	0.2	35	134
1	80	17	3.50	9.3	120	5	.	17	172
1	80	17	3.65	9.4	3	.	33	28
1	80	17	3.70	9.4	145	35	2	.	8	21
1	80	17	3.85	9.7	.	.	.	0.1	2	147	0.1
1	80	17	3.90	9.6	8	0.1	16	145
1	80	17	EF/4	9.8	28	4
1	80	17	4.01	9.8	.	.	94	.	2	146
1	80	17	4.25	9.7	.	.	37	.	3	143
1	80	17	4.35	9.8	.	.	118	.	4	158
1	80	17	4.35	9.8	.	.	46	.	2	134
1	80	17	FG/5	10.1	96	64
1	80	17	5.10	10.2	181	3	0.1	11	126
1	80	17	5.25	10.0	.	.	.	0.1	2	148	0.1
1	80	17	5.30	10.0	.	.	33	0.1	1	135	0.1
1	80	17	5.30	10.0	.	.	.	0.1	2	140	0.1
1	80	17	5.35	10.0	.	.	176	0.1	1	149	0.1
1	80	17	5.35	10.0	.	.	118	0.1	1	147	0.1
1	80	17	5.35	10.0	.	.	.	0.1	3	130	0.2
1	80	17	5.45	10.1	.	.	59	.	3	159
1	80	17	5.55	10.0	284
1	80	17	5.85	10.0	275	.	25	0.1	80	150
1	80	17	5.85	10.0	243	.	13	0.1	24	150
1	80	17	5.85	10.0	5	0.1	18	155
1	80	17	5.92	10.2	262	.	11	0.1	25	137
1	80	17	GH/6	10.3	61	51
1	80	17	6.05	10.1	13	0.1	45	137
1	80	17	6.40	10.0	68	2	0.1	8	151
1	80	17	6.65	10.5	.	.	32	0.1	2	133	0.1	.	.	7	.	25	35
1	80	17	6.75	11.0	7	.	25	35
1	80	17	6.85	10.1	93	7	.	42	34

CORRIDOR 1

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
1	80	17	6.85	10.1	35	6	.	17	149
1	80	17	6.90	10.7	35	2	.	20	40
1	80	17	6.95	10.1	267	34	8	.	43	142
1	80	17	6.95	10.1	82	5	0.1	11	22
1	80	17	HI/7	10.2	32	14	82	5	0.1	11	22
1	80	17	7.01	10.2	82	5	0.1	11	22
1	80	17	7.05	10.9	67	3	.	12	18
1	80	17	7.80	10.4	6	.	8	174
1	80	17	U/8	11.1	45	10
1	80	17	8.30	11.2	10	0.1	43	149
1	80	17	JK/9	11.6	41	5
1	80	17	9.45	11.8	3	.	27	117
1	80	17	9.55	11.9	.	.	275	.	2	2
1	80	17	9.95	12.0	3	145
1	80	17	KL/10	12.1	117	2	.	.	3	145
1	80	17	10.01	12.1	.	.	.	3	3	145
1	80	17	10.40	12.3	.	.	.	0.4	22	63	0.2
1	80	17	LM/11	12.6	130	8
1	80	17	11.15	12.6	2	0.2	30	116
1	80	17	11.65	12.6	5	.	22	166
1	80	17	11.70	12.8	.	.	.	0.3	8	117	0.1
1	80	17	MN/12	12.7	123	0
1	80	17	NO/13	12.8	151	1
1	80	17	13.35	13.2	.	.	.	0.1	8	140	0.1
1	80	17	OP/14	13.7	128	3
1	80	17	14.75	14.0	.	.	.	0.2	8	143	0.1
1	80	17	14.80	14.0	2	0.1	17	143
1	80	17	PO/15	13.8	171	40
1	80	17	15.15	14.0	4	.	16	167
1	80	17	15.25	14.0	7	0.2	29	150
1	80	17	15.25	14.0	5	.	25	132
1	80	17	15.45	14.1	.	.	.	0.4	3	160	0.5
1	80	17	15.50	14.2	19	158
1	80	17	15.60	14.3	.	.	.	0.2	4	135	0.1	48	150
1	80	17	15.65	14.0	16	.	.	150
1	80	17	QR/16	14.3	104	4	15	148
1	80	17	16.55	14.5	2	0.2	.	.
1	80	17	16.75	14.7	.	.	.	0.1	3	151	0.1
1	80	17	16.75	14.7
1	80	17	RS/17	14.8
1	80	17	14.8	14.8
1	80	17	ST/18	15.0	76	13

CORRIDOR 1

CPDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
1	80	17	18.99	15.1	8	145	0.4	.	.	6	0.8	36	159
1	80	17	18.99	15.1	.	.	.	0.3	8	145	0.4	.	.	6	.	36	152
1	80	17	18.99	15.1	6	.	36	152
1	80	17	TV/19	15.1	77	13	6	0.2	36	159
1	80	17	19.01	15.1	145	0.4	.	.	6	.	36	159
1	80	17	19.01	15.1	.	.	.	0.3	8	145	0.4	.	.	6	.	36	152
1	80	17	19.01	15.1
1	80	17	19.01	15.1
1	80	17	UV/20	15.6	83	0
1	80	17	V/END	15.6	.	0
1	81	27	AB/0	5.1	3	0
1	81	27	BC/1	6.3	3	0
1	81	27	CD/2	8.5	23	9
1	81	27	2.25	8.1	.	.	.	0.3	4	155	0.2
1	81	27	2.35	7.8	.	.	.	0.1	2	114	0.1
1	81	27	2.55	8.1	.	.	.	0.1	2	162	0.1
1	81	27	2.65	8.5	.	.	.	0.1	3	145	0.1
1	81	27	2.80	8.3	.	.	.	0.1	3	145	0.1
1	81	27	2.85	8.4	.	.	.	0.1	2	152	0.1
1	81	27	2.85	8.4	.	.	.	0.1	1	145	0.1
1	81	27	2.85	8.4	.	.	.	0.1	2	14	0.1
1	81	27	2.95	8.5	.	.	.	0.1	5	116	0.1
1	81	27	2.95	8.5	.	.	.	0.1	3	140	0.1
1	81	27	DE/3	8.5	47	15	.	0.1	3	140	0.1
1	81	27	3.01	8.5	.	.	.	0.1	3	140	0.1
1	81	27	3.05	8.5	.	.	.	0.1	1	135	0.1
1	81	27	3.15	8.6	.	.	.	0.1	1	126	0.1
1	81	27	3.20	8.6	.	.	.	0.1	2	122	0.1
1	81	27	3.20	8.6	.	.	.	0.1	2	122	0.1
1	81	27	3.20	8.6	.	.	.	0.1	2	122	0.1
1	81	27	3.20	8.6	.	.	.	0.1	2	159	0.1	34	3
1	81	27	3.25	8.7	.	.	.	0.7	6	132	0.1
1	81	27	3.30	8.7	.	.	97	0.3	2	123	0.3
1	81	27	3.35	8.9	.	.	.	0.2	3	157	0.1
1	81	27	3.60	9.3	.	.	42	.	2	26
1	81	27	3.65	9.3	.	.	45	.	3	25	.	151
1	81	27	3.85	9.5	.	.	.	0.2	4	133	0.3	150
1	81	27	EF/4	9.7	27	16
1	81	27	4.10	9.7	.	.	.	0.3	3	146	0.4
1	81	27	4.20	9.7	.	.	.	0.1	3	169	0.1	.	.	2	0.2	10	157
1	81	27	4.25	9.7	.	.	.	0.1	1	98	0.1
1	81	27	4.30	9.7	.	.	.	0.2	3	135	0.4
1	81	27	4.45	9.7	.	.	.	0.2	3	129	0.2

CORRIDOR 1

CROP#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
1	81	27	4.50	9.7	.	.	.	0.2	2	124	0.2
1	81	27	4.50	9.7	.	.	.	0.4	3	120	0.2
1	81	27	4.55	9.8	.	.	.	0.2	3	137	0.2
1	81	27	4.65	9.8	.	.	.	0.1	4	133	0.1
1	81	27	4.70	9.8	.	.	.	0.1	2	130	0.1
1	81	27	4.75	10.0	264	.	3	0.1	12	139
1	81	27	4.99	10.1	.	.	.	0.1	3	130	0.1
1	81	27	FG/5	10.1	43	9
1	81	27	5.05	10.0	.	.	.	0.1	2	134	0.1
1	81	27	5.05	10.0	.	.	.	0.1	5	136	0.1
1	81	27	5.30	10.0	.	.	.	0.2	3	136	0.3
1	81	27	5.35	10.0	2	0.1	6	135
1	81	27	5.35	10.0	.	.	.	0.2	2	113	0.1
1	81	27	5.70	10.1	.	.	.	0.1	3	133	0.1
1	81	27	5.99	10.0	2	0.1	11	168
1	81	27	GH/6	10.0	13	2
1	81	27	6.15	10.3	.	.	.	0.1	3	130	0.1
1	81	27	6.50	10.4	.	.	.	0.1	3	176	0.1
1	81	27	HI/7	10.7	22	12
1	81	27	7.10	10.2	.	.	28	0.1	2	160	0.1
1	81	27	7.20	10.3	8	148
1	81	27	7.60	10.5	.	.	110	.	7	160	.	285
1	81	27	7.75	11.0	.	.	40	.	4	150
1	81	27	7.80	10.8	.	.	.	0.1	2	124	0.1
1	81	27	7.85	10.8	.	.	.	0.1	2	77	0.1
1	81	27	7.85	10.5	3	95
1	81	27	7.95	11.2	220	.	2	.	11	150
1	81	27	7.95	11.2	193	95	2	.	14	145
1	81	27	7.95	11.2	.	.	.	0.1	3	68	0.1
1	81	27	LI/8	11.1	38	14
1	81	27	8.10	11.0	6	21
1	81	27	8.50	11.2	.	.	.	0.3	3	115	0.2
1	81	27	8.60	11.5	3	135
1	81	27	8.60	11.5	160	.	5	0.1	23	153
1	81	27	8.65	11.5	4	163
1	81	27	8.80	11.7	.	.	.	0.1	2	158	0.1
1	81	27	8.80	11.7	145	.	152	44	3	.	10	27
1	81	27	8.90	11.8	5
1	81	27	JK/9	11.6	48	15
1	81	27	9.10	11.6	2	0.3	10	161
1	81	27	9.20	11.7	.	.	.	0.2	3	112	0.1

CORRIDOR 1

CRDP#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
1	81	27	9.60	12.0	5	130	.	.	.	2	0.1	5	164
1	81	27	9.65	12.0	5	130	.	.	.	2	0.1	6	126
1	81	27	9.70	12.1	2	130	0.1	.	.	3	0.2	12	136
1	81	27	9.75	12.1	6	115	0.1	.	.	2	.	43	.
1	81	27	9.85	12.1	.	.	.	0.2	.	.	.	125	.	2	.	.	.
1	81	27	9.90	12.2	.	6	2	0.6	41	170
1	81	27	KL/10	12.2	87	2	.	.	.
1	81	27	10.30	12.5	2	25
1	81	27	10.60	12.3	3	126	0.4
1	81	27	10.75	12.3	.	.	.	0.3	11	162	0.5
1	81	27	10.80	12.4	.	.	.	0.6	8	172
1	81	27	10.90	12.6	2	149	0.1
1	81	27	LM/11	12.5	84	11
1	81	27	11.05	12.5	.	.	70	0.1	11	166
1	81	27	11.25	12.5	2	168
1	81	27	11.50	12.8	.	.	75	.	5	175	.	.	.	3	.	12	175
1	81	27	11.50	12.8	3	140
1	81	27	11.50	12.8	5	175
1	81	27	11.85	13.1	3	140
1	81	27	11.85	13.1	3	.	10	163
1	81	27	11.85	13.1
1	81	27	11.85	13.1
1	81	27	11.85	13.1	4	176	.	.	.	5	0.5	13	152
1	81	27	12.95	13.4	6	118	0.6
1	81	27	12.95	13.4	.	.	.	0.6
1	81	27	NO/13	13.4	88	15	3	.	15	159
1	81	27	13.05	13.3	5	160
1	81	27	13.05	13.3	3	120	0.1
1	81	27	13.10	13.3	.	.	.	0.2	3	172
1	81	27	13.25	13.5	2	158	0.1
1	81	27	13.50	13.5	.	.	.	0.1	3	125	0.1
1	81	27	13.50	13.5	.	.	.	0.3	3	118	0.4
1	81	27	13.55	13.4	.	.	.	0.3	3	166	0.1
1	81	27	13.85	13.7	.	.	.	0.1	5	0.2	19	166
1	81	27	13.85	13.7
1	81	27	OP/14	13.8	109	22

CORRIDOR 1

CRDR#	Year	T#	SEGDIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMR/H	DIM	MGL	MG#	MGD	MGW	MGO
1	81	27	14.05	13.7	3	167
1	81	27	14.05	13.7	.	.	178	.	3	8
1	81	27	14.50	13.8	2	130	0.1	.	.	4	0.2	26	171
1	81	27	14.60	13.7	.	.	.	0.1	2	130	0.1	.	.	4	0.2	27	171
1	81	27	14.80	14.0	5	128	0.1
1	81	27	14.85	13.8	.	.	.	0.1	5	128	0.1	.	.	7	.	32	163
1	81	27	14.99	13.9	3	.	17	164
1	81	27	14.99	13.9	3	.	.	.
1	81	27	PO/15	13.9	.	106	30	.	.	.
1	81	27	15.05	14.0	166
1	81	27	15.20	14.0	10	0.3	30	167
1	81	27	15.30	14.1	2	0.3	10	124
1	81	27	15.30	14.1	.	.	.	0.2	4	124	0.5	.	.	2	.	.	.
1	81	27	15.30	14.1	4	124	0.5	.	.	3	0.1	12	167
1	81	27	15.45	14.3	3	0.1	11	162
1	81	27	15.50	13.7	2	0.2	8	140
1	81	27	15.50	13.7	2	0.2	8	140
1	81	27	15.65	14.4	5	.	18	160
1	81	27	15.95	14.2	.	.	.	0.1	5	140	0.1
1	81	27	OR/16	14.1	.	83	.	.	5	140	0.1
1	81	27	16.01	14.1	.	.	.	0.1	5	140	0.1
1	81	27	16.10	14.4	.	.	88	.	2	59	0.1
1	81	27	16.20	14.2	.	.	.	0.1	8	59	0.1
1	81	27	16.55	14.7	.	.	.	0.1	3	136	0.1
1	81	27	16.75	14.6	3	136	0.1
1	81	27	RS/17	14.7	.	75	3	0.3	12	147
1	81	27	17.30	14.8	3	120
1	81	27	17.30	14.8	3	120
1	81	27	17.30	14.8	4	120
1	81	27	17.40	14.9	.	.	.	0.1	3	124	0.1	249
1	81	27	17.45	14.9	3	0.2	12	150
1	81	27	17.65	15.0	7	162
1	81	27	17.70	15.0	.	.	.	0.1	2	127	0.1
1	81	27	17.85	15.0	3	145
1	81	27	S/END	15.0
1	81	27	AB/0	5.4	.	4
1	82	16	0.55	7.7	.	1
1	82	16	0.55	7.7	.	.	25	0.1	1	129	0.1
1	82	16	BC/1	6.6	.	3
1	82	16	BC/1	6.6	.	0
1	82	16	CD/2	8.1	.	26
1	82	16	2.99	8.5
1	82	16	DE/3	8.5	.	64	2	0.1	10	151
1	82	16	DE/3	8.5	.	8	2	0.1	10	151
1	82	16	3.01	8.5
1	82	16	3.45	9.0	.	.	.	0.1	1	142	0.1

CORRIDOR 1

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
1	82	16	3.85	9.4	.	.	.	0.1	2	158	0.1
1	82	16	3.90	9.4	2	0.1	.	9
1	82	16	3.95	9.4	2	0.1	.	8
1	82	16	EF/4	9.5	50	10	87	123
1	82	16	4.01	9.5	4	137
1	82	16	4.15	9.5	.	.	.	0.2	3	120	0.1
1	82	16	4.25	9.5	.	.	.	0.3	3	98	0.1
1	82	16	4.30	9.5	2	0.1	.	7
1	82	16	4.75	9.7	.	.	.	0.1	3	62	0.1	116
1	82	16	4.75	9.7	.	.	62	.	1	157
1	82	16	4.80	9.8	.	.	.	0.1	2	137	0.1
1	82	16	4.85	9.8	.	.	.	0.1	2	148	0.1
1	82	16	4.90	9.8	.	.	.	0.1	1	124	0.1
1	82	16	FG/5	9.8	53	7
1	82	16	5.05	9.8	.	.	.	0.1	4	130	0.1
1	82	16	5.10	9.8	.	.	.	0.2	3	130	0.1
1	82	16	5.20	9.7	.	.	.	0.1	2	150	0.1
1	82	16	5.20	9.7	.	.	.	0.3	5	90	0.3
1	82	16	5.30	9.8	.	.	.	0.1	3	86	0.1
1	82	16	5.40	9.8	.	.	.	0.2	3	93	0.1
1	82	16	5.50	9.7	.	.	.	0.1	3	155	0.1	333
1	82	16	GH/6	9.8	22	3
1	82	16	6.20	10.2	.	.	.	0.1	1	165	0.1
1	82	16	6.35	9.7	.	.	.	0.1	1	140	0.1
1	82	16	6.80	9.6	.	.	.	0.1	1	149	0.1
1	82	16	HI/7	10.3	31	2
1	82	16	7.01	10.3	.	.	.	0.1	2	130	0.1
1	82	16	7.65	10.5	.	.	.	0.2	2	138	0.1
1	82	16	U/8	10.8	64	20
1	82	16	8.05	11.1	.	.	.	0.1	2	145	0.1
1	82	16	8.15	10.5
1	82	16	8.30	10.9	.	.	.	0.1	3	144	0.1	.	.	4	0.4	16	137
1	82	16	8.35	10.8	.	.	.	0.1	3	128	0.1
1	82	16	8.40	11.3	.	.	.	0.1	2	130	0.1
1	82	16	8.45	10.8	.	.	.	0.1	1	116	0.1
1	82	16	8.55	11.3	2	177
1	82	16	8.70	11.2	2	147
1	82	16	8.70	11.2	2	178
1	82	16	8.70	11.2	2	.	3	174
1	82	16	8.90	11.3	5	7
1	82	16	8.95	11.2	1	172

CORRIDOR 1

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMR/H	DIM	MGL	MG#	MGD	MGW	MGO
1	82	16	8.99	11.2	.	.	.	0.1	2	23	0.1
1	82	16	8.99	11.2	.	.	.	0.1	1	147	0.1	.	.	2	0.1	6	137
1	82	16	JK/9	11.2	85	20
1	82	16	9.01	11.2	.	.	.	0.1	2	23	0.1
1	82	16	9.01	11.2	2	0.1	6	137
1	82	16	9.01	11.2	.	.	.	0.1	1	147	0.1
1	82	16	9.05	11.3	.	.	.	0.1	1	135	0.1
1	82	16	9.10	11.2	.	.	.	0.1	2	141	0.1
1	82	16	9.15	11.2	.	.	.	0.1	2	126	0.1
1	82	16	9.20	11.2	9	0.1	20	173
1	82	16	9.25	11.2	.	.	.	0.1	2	151	0.1
1	82	16	9.30	11.3	.	.	.	0.2	3	131	0.2
1	82	16	9.35	11.4	2	0.3	20	98
1	82	16	KL/10	11.7	119	6
1	82	16	10.05	11.5	.	.	.	0.3	7	92	0.2
1	82	16	10.15	11.6	.	.	.	0.2	3	153	0.2
1	82	16	10.25	11.6	.	.	.	0.2	3	105	0.2
1	82	16	10.40	11.8	.	.	.	0.4	4	40	0.5
1	82	16	10.75	11.7	.	.	.	0.1	2	150	0.1
1	82	16	10.80	11.8	.	.	.	0.1	1	172	0.1
1	82	16	LM/11	12.1	128	6
1	82	16	11.25	12.1	.	.	.	0.2	3	118	0.1
1	82	16	11.35	12.1	.	.	.	0.1	3	130	0.1
1	82	16	11.40	12.2
1	82	16	11.75	12.2	.	.	.	0.1	1	132	0.1
1	82	16	11.85	12.2	.	.	.	0.2	13	128	0.4
1	82	16	MN/12	12.4	129	3
1	82	16	12.50	12.6
1	82	16	12.85	12.3	7	102	0.4	.	.	2	0.4	13	97
1	82	16	NO/13	12.6	116	3
1	82	16	13.85	12.9	.	.	.	0.1	6	90	0.1
1	82	16	13.95	12.9	.	.	.	0.5	11	90	0.5
1	82	16	13.99	12.9	.	.	.	0.2	5	90	0.1
1	82	16	O/END	12.9

CORRIDOR 2

CHORD#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MSW	MGO
2	77	31	AB/0	7.4	39
2	77	31	BC/1	10.3	62
2	77	31	CD/2	11.7	52
2	77	31	DE/3	11.7	91
2	77	31	EF/4	12.4	83
2	77	31	FG/5	13.6	62
2	77	31	GH/6	14.4	48
2	77	31	HI/7	15.2	37
2	77	31	IJ/8	14.7	73
2	77	31	JK/9	14.6	80
2	77	31	KL/10	15.5	94
2	77	31	LM/11	16.0	39
2	77	31	MN/12	16.7	48
2	77	31	NO/13	17.8	39
2	77	31	OP/14	18.1	34
2	77	31	PQ/15	18.8	20
2	77	31	QR/16	19.2	64
2	77	31	RS/17	19.5	62
2	77	31	ST/18	20.1	49
2	77	31	TU/19	20.5	66
2	77	31	U/END	20.3
2	78	17	AB/0	7.3	39	12
2	78	17	0.10	7.8	.	.	.	0.1	2	140	0.1
2	78	17	0.15	7.9
2	78	17	0.25	8.6
2	78	17	BC/1	10.2	8	4
2	78	17	1.20	10.5	154	.	3	0.1	16	44
2	78	17	1.99	11.5	.	.	.	0.1	2	17	0.1
2	78	17	CD/2	11.5	5	1
2	78	17	2.01	11.5	.	.	.	0.1	2	17	0.1
2	78	17	DE/3	11.7	24	22
2	78	17	3.50	10.9	.	.	24	0.1	1	113	0.1	111
2	78	17	3.65	9.5
2	78	17	3.65	9.5	.	.	31	0.1	1	40	0.1	38	.	13	0.1	75	114
2	78	17	3.70	10.1
2	78	17	3.70	10.1	.	.	48	0.1	2	163	0.1	147	38	2	0.1	6	149
2	78	17	3.70	10.1	.	.	45	.	3	165	.	161
2	78	17	3.70	10.1	.	.	.	0.1	2	38	0.1	163
2	78	17	3.70	10.1	.	.	.	0.1	2	177	0.1	175
2	78	17	3.90	12.1	.	.	23	0.1	2	19	0.1
2	78	17	EF/4	12.4	3	1

CORRIDOR 2

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
2	78	17	4.85	13.1	.	.	.	0.1	7	85	0.1
2	78	17	FG/5	13.5	62	30	5	0.1	30	120
2	78	17	5.05	13.5	5	0.1	30	120
2	78	17	5.30	13.6	.	.	40	.	2	57	.	.	.	5	.	22	9
2	78	17	5.50	14.0	94	5	.	22	9
2	78	17	5.50	14.0	200	7	.	30	28
2	78	17	5.95	14.2	2	0.1	16	146
2	78	17	5.99	14.3	.	.	.	0.2	7	28	0.4	25	150
2	78	17	5.99	14.3	9	.	25	150
2	78	17	GH/6	14.3	32	17	25
2	78	17	6.01	14.3	.	.	.	0.2	7	28	0.4
2	78	17	6.01	14.3	2	55	0.1	.	.	9	.	25	150
2	78	17	6.10	14.4	.	.	.	0.1	2	55	0.1	.	.	.	0.1	16	65
2	78	17	6.20	14.4	2	0.1	16	65
2	78	17	6.40	14.5	5	52	0.2
2	78	17	6.40	14.5	.	.	.	0.1	1	42	0.1
2	78	17	6.40	14.5	.	.	.	0.1	1	42	0.1
2	78	17	6.65	14.6	.	.	.	0.1	2	52	0.1
2	78	17	6.80	14.8	.	.	.	0.1	2	85	0.1
2	78	17	HI/7	15.1	13	4
2	78	17	7.35	14.7	4	0.1	20	61
2	78	17	I/J/8	14.5	51	23
2	78	17	8.50	11.4	.	.	.	0.1	1	90	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	125	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	125	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	125	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	136	0.1
2	78	17	8.50	11.4	.	.	.	0.1	2	110	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	115	0.1
2	78	17	8.50	11.4	.	.	46	0.1	1	2	0.1
2	78	17	8.50	11.4	.	.	.	0.1	2	132	0.1	.	.	2	0.1	5	3
2	78	17	8.50	11.4	.	.	.	0.1	2	55	0.1
2	78	17	8.50	11.4	.	.	.	0.1	5	125	0.1	303
2	78	17	8.50	11.4	.	.	.	0.1	2	135	0.1
2	78	17	8.50	11.4	.	.	.	0.1	4	100	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	115	0.1
2	78	17	8.50	11.4	.	.	.	0.1	2	140	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	158	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	100	0.1
2	78	17	8.50	11.4	.	.	.	0.1	2	115	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	176	0.1
2	78	17	8.50	11.4	.	.	.	0.1	1	50	0.1

CORRIDOR 2

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
2	78	17	8.50	11.4	.	.	.	0.1	1	151	0.1
2	78	17	8.50	11.4	.	.	.	0.1	2	158	0.1
2	78	17	JK/9	14.4	18
2	78	17	KL/10	15.3	13	8
2	78	17	10.55	14.3	.	.	34	.	.	17
2	78	17	10.55	14.3	.	.	12	.	2	15
2	78	17	10.55	14.3
2	78	17	10.60	14.7	.	.	22	.	3	151	.	.	.	2	0.1	18	109
2	78	17	10.65	14.9
2	78	17	10.75	15.0	.	.	.	0.1	3	68	0.1	.	.	2	0.1	12	104
2	78	17	LM/11	15.7	.	19
2	78	17	11.60	16.4	.	.	75	.	2	32
2	78	17	11.70	16.2	105	5	.	13	33
2	78	17	11.80	16.6	.	.	.	0.1	2	48	0.1	.	.	5	.	19	33
2	78	17	11.85	16.7	4	.	27	90
2	78	17	11.90	16.3	.	.	.	0.1	2	112	0.1
2	78	17	11.99	16.7	.	.	.	0.2	8	87	0.3
2	78	17	MN/12	16.7	.	15
2	78	17	12.10	16.9	.	.	.	0.4	3	77	0.1
2	78	17	12.15	16.9	3	0.1	17	115
2	78	17	12.15	16.9	.	.	.	0.1	1	99	0.1
2	78	17	12.15	16.9	.	.	.	0.1	2	62	0.2
2	78	17	12.20	16.8	.	.	.	0.2	3	88	0.3
2	78	17	12.45	16.9	.	.	.	0.1	2	90	0.1
2	78	17	12.50	17.0	3	0.1	25	90
2	78	17	NO/13	17.5	.	27
2	78	17	13.05	17.5	.	.	.	0.5	20	90	0.3
2	78	17	13.15	17.5	.	.	.	0.1	2	127	0.1
2	78	17	13.25	17.5	205	.	3	.	16	27
2	78	17	13.30	17.5	.	.	.	0.7	10	93	0.8	.	35
2	78	17	13.35	17.6	.	.	.	0.2	4	103	0.1
2	78	17	13.35	17.6	.	.	.	0.1	2	88	0.1
2	78	17	13.35	17.6	.	.	.	0.4	8	100	0.2
2	78	17	13.40	17.7	2	0.1	8	160
2	78	17	13.95	18.0	6	0.5	57	92
2	78	17	OP/14	18.3	.	7
2	78	17	14.25	18.3	.	.	.	0.1	2	89	0.1
2	78	17	14.65	18.4	.	.	.	0.1	2	93	0.1
2	78	17	14.99	18.5	5	0.5	55	98
2	78	17	P/END	18.5
2	78	17	AB/0	6.5	9	0

CORRIDOR 2

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
2	79	31	BC/1	9.9	6	1	.	.	3	48	0.1
2	79	31	1.15	10.2	.	.	.	0.1
2	79	31	CD/2	11.3	25	25
2	79	31	2.95	11.4	11	0.1	50	22
2	79	31	2.99	11.3	14	0.1	47	20
2	79	31	DE/3	11.3	44	44
2	79	31	3.55	10.1	.	.	.	0.1	3	57	0.1
2	79	31	3.55	10.1	.	.	.	0.1	2	65	0.3
2	79	31	3.60	9.2	2	.	.	.	25	6	0.1	15	19
2	79	31	3.60	9.2	.	.	62	.	2	146	0.1
2	79	31	3.65	9.1	.	.	.	0.1	2	108	0.1
2	79	31	3.65	9.1	.	.	.	0.1	1	125	0.1
2	79	31	3.65	9.1	.	.	.	0.1	1	135	0.1
2	79	31	3.70	9.5	3	98	0.2	.	.	27	0.2	103	147
2	79	31	3.75	10.2	.	.	.	0.2
2	79	31	3.75	10.2	2	52	0.1	.	.	2	0.1	7	50
2	79	31	3.80	11.6	.	.	.	0.1	2	42	0.1
2	79	31	3.85	11.8	.	.	.	0.1	3
2	79	31	EF/4	12.1	12	12
2	79	31	4.10	12.3	.	.	.	0.1	2	73	0.1
2	79	31	4.25	12.5	.	.	.	0.1	2	77	0.1
2	79	31	4.25	12.5	.	.	.	0.1	3	60	0.1
2	79	31	4.40	11.8	.	.	.	0.1	2	109	0.1	287
2	79	31	4.40	11.8	.	.	.	0.1	2	94	0.1
2	79	31	4.40	11.8	.	.	.	0.1	2	130	0.1	128
2	79	31	4.50	11.9	4	0.1	10	133
2	79	31	4.50	11.9	2	0.1	4	128
2	79	31	4.50	11.9
2	79	31	FG/5	13.2	20	1
2	79	31	5.60	14.0	.	.	.	0.1	2	74	0.1
2	79	31	GH/6	14.1	6	0
2	79	31	HI/7	15.0	1	0
2	79	31	IJ/8	14.4	23	20
2	79	31	8.50	13.1	.	.	18	0.1	2	88	0.1
2	79	31	8.55	12.0	.	.	.	0.1	2	124	0.1	122
2	79	31	8.55	12.0	.	.	.	0.1	3	164	0.1
2	79	31	8.60	11.3	6	0.1	12	3
2	79	31	8.60	11.3	2	118	0.1
2	79	31	8.60	11.2	.	.	.	0.1	1	120	0.1
2	79	31	8.65	11.6	2	0.1	11	126
2	79	31	8.75	13.1	7	0.1	17	170
2	79	31	JK/9	14.6	1	0

CORRIDOR 2

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
2	79	31	KL/10	15.1	14	9	166	15	5	0.1	7	168
2	79	31	10.55	13.9	186	30	3	.	7	8
2	79	31	10.60	14.2
2	79	31	10.95	15.3	.	.	.	0.2	3	113	0.1
2	79	31	LM/11	15.5	2	0
2	79	31	MN/12	16.3	4	1
2	79	31	12.50	16.6	3	115	.	113
2	80	16	AB/0	6.9	5	0
2	80	16	BC/1	9.9	0	0
2	80	16	CD/2	11.3	1	0
2	80	16	DE/3	11.5	26	21
2	80	16	3.15	11.6
2	80	16	3.45	10.8
2	80	16	3.45	10.8	1	174	0.1	.	32	3	0.1	8	178
2	80	16	3.45	10.8
2	80	16	3.60	9.2	20	0.1
2	80	16	3.70	10.1
2	80	16	3.70	10.1
2	80	16	3.70	10.1	2	47	0.1
2	80	16	3.70	10.1	2	128	0.1
2	80	16	3.70	10.1	1	80	0.2
2	80	16	3.75	10.9	2	5	0.1
2	80	16	3.75	10.9	.	.	.	44	0.1
2	80	16	EF/4	12.2	9	0
2	80	16	FG/5	13.3	1	1
2	80	16	5.45	13.7	2	40	0.1	218
2	80	16	GH/6	14.1	7	2
2	80	16	6.60	14.5	7	71	0.1
2	80	16	6.75	14.7
2	80	16	HI/7	15.0	7	1
2	80	16	7.70	14.4
2	80	16	IJ/8	14.2	17	14	.	.	2	140	0.1
2	80	16	8.45	13.0	288
2	80	16	8.45	13.0	2	110	0.1
2	80	16	8.50	12.5	2	91	0.1
2	80	16	8.50	12.0	293
2	80	16	8.55	11.5	298
2	80	16	8.60	11.3	4	93	0.1
2	80	16	8.65	12.2	3	109	0.1
2	80	16	8.65	12.2	2	72	0.1
2	80	16	8.75	14.2	2	55	0.1
2	80	16	JK/9	14.2	0	0
2	80	16	KL/10	15.0	3	2
2	80	16	10.60	14.4	1	124	0.1
2	80	16	10.65	14.7	2	138	0.1	136
2	80	16	LM/11	15.1	3	1

CORRIDOR 2

CRDPR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
2	80	16	11.05	15.1	.	4	.	0.1	1	122	0.1
2	80	16	MN/12	16.2	6	.	.	0.1	4	127	0.1
2	80	16	12.40	16.5	.	.	.	0.1	2	58	0.1
2	80	16	12.70	16.4	.	.	.	0.3	3	73	0.3
2	80	16	12.80	16.7	.	.	.	0.1	3	66	0.1
2	80	16	12.95	17.2
2	80	16	N/END	16.9
2	81	26	AB/0	7.0	8	2	.	.	5	83	0.1
2	81	26	0.10	7.3	.	.	.	0.1	4	50	0.1	266
2	81	26	0.60	0.1	.	.	0.1
2	81	26	BC/1	.	8	5	255
2	81	26	1.05	0.1	2	77	0.1
2	81	26	1.15	0.1	2	66	0.1
2	81	26	1.35	0.1	2	47	0.1
2	81	26	1.35	0.1	2	75	0.1
2	81	26	1.70	0.1	2	53	0.1
2	81	26	CD/2	.	4	2
2	81	26	2.10	15.1	.	.	.	0.1	2	69	0.1
2	81	26	2.99	0.1	2	77	0.1
2	81	26	DE/3	.	29	25
2	81	26	3.05	0.1	2	97	0.1
2	81	26	3.45
2	81	26	3.50
2	81	26	3.50	0.1	3	47	0.1
2	81	26	3.50	0.1	3	127	0.1
2	81	26	3.50
2	81	26	3.55	125	20
2	81	26	3.60	117	15
2	81	26	3.60	123	.	4	.	.	17
2	81	26	3.60	2	0.1	9	125
2	81	26	3.60	2	.	8	102
2	81	26	3.65	0.1	3	125	0.1	115
2	81	26	3.70	0.1	3	69	0.1
2	81	26	EF/4	.	9	7
2	81	26	4.05	0.1	1	95	0.1
2	81	26	4.15	0.1	2	32	0.1
2	81	26	4.25	4	106
2	81	26	4.35	4	170	.	168
2	81	26	4.60	0.1	2	83	0.1
2	81	26	4.60	0.1	2	107	0.1
2	81	26	4.85	0.1	2	82	0.1
2	81	26	FG/5	.	8	6

CORRIDOR 2

CRDPR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
2	81	26	5.05	0.1	3	120	0.1	118
2	81	26	5.15	0.1	2	124	0.1
2	81	26	5.15	0.1	2	117	0.1
2	81	26	5.20	0.1	2	115	0.1
2	81	26	5.95	0.1	1	55	0.1
2	81	26	5.99	0.1	1	105	0.1
2	81	26	GH/6	.	.	6	2
2	81	26	6.01	0.1	1	105	0.1
2	81	26	6.65	0.1	2	107	0.1
2	81	26	H/I/7	14.6	0	0
2	81	26	I/J/8	14.3	14	14
2	81	26	8.40	12.3	.	.	.	0.1	3	125	0.2
2	81	26	8.45	11.5	.	.	.	0.1	4	88	0.1
2	81	26	8.45	11.5	.	.	.	0.2	3	132	0.2
2	81	26	8.45	11.5	.	.	.	0.1	3	135	0.2
2	81	26	8.45	11.5	.	.	.	0.1	8	38	0.2
2	81	26	8.50	11.1	.	.	.	0.2	1	52	0.1
2	81	26	8.50	11.1	.	.	.	0.1	1	52	0.1
2	81	26	8.55	11.5	.	.	.	0.1	3	56	0.1
2	81	26	8.70	13.0
2	81	26	8.75	13.3	.	.	.	0.1	2	58	0.1
2	81	26	8.75	13.3	.	.	.	0.1	1	50	0.1
2	81	26	8.80	13.4	.	.	.	0.1	1	123	0.1
2	81	26	8.80	13.4
2	81	26	JK/9	14.0	7	7
2	81	26	9.05	14.0	.	.	.	0.2	3	90	0.2
2	81	26	9.10	14.0	.	.	.	0.1	3	82	0.1
2	81	26	9.10	14.0	.	.	.	0.4	5	112	0.5	110
2	81	26	9.15	14.5	.	.	.	0.1	3	48	0.1
2	81	26	9.25	14.6	.	.	.	0.1	2	128	0.1
2	81	26	9.40	14.8	.	.	15	0.2	2	95	0.1
2	81	26	9.45	14.7	.	.	.	0.1	4	110	0.1	108
2	81	26	KL/10	15.0	7	7
2	81	26	10.50	14.1	.	.	.	0.2	5	53	0.3
2	81	26	10.50	14.1	.	.	.	0.1	6	118	0.2
2	81	26	10.50	14.1	.	.	.	0.1	6	117	0.1
2	81	26	10.75	15.0	.	.	.	0.1	6	117	0.1
2	81	26	10.85	15.3	.	.	.	0.1	2	174	0.1
2	81	26	10.90	15.3	.	.	.	0.1	2	168	0.1
2	81	26	LM/11	15.3	15	14
2	81	26	11.15	15.6	.	.	.	0.1	3	95	0.1
2	81	26	11.30	15.5	4	168	.	34

CORRIDOR 2

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
2	81	26	11.35	15.5	.	.	.	0.3	10	119	0.3
2	81	26	11.55	16.0	.	.	.	0.2	13	112	0.1
2	81	26	11.60	16.0	.	.	.	0.5	10	100	0.4
2	81	26	11.65	16.0	.	.	.	0.2	2	100	0.1
2	81	26	11.70	16.4	.	.	.	0.1	1	118	0.1
2	81	26	11.80	16.0	.	.	.	0.4	5	101	0.5
2	81	26	11.85	16.0	.	.	.	0.1	3	102	0.1
2	81	26	11.90	15.5	.	.	.	0.1	2	103	0.1
2	81	26	11.90	15.5	.	.	.	0.8	3	113	0.1
2	81	26	11.95	15.8	.	.	.	1.4	8	69	0.9
2	81	26	11.95	15.9	.	.	.	0.3	4	106	0.3
2	81	26	11.95	15.9	.	.	.	0.2	2	109	0.4
2	81	26	MN/12	16.0	23	19	.	.	2
2	81	26	12.01	16.0	.	.	.	0.2	2	122	0.1
2	81	26	12.20	16.4	.	.	.	0.1	2	111	0.1
2	81	26	12.25	16.8	.	.	.	0.2	5	66	0.1
2	81	26	12.25	16.8	.	.	.	0.2	3	133	0.2
2	81	26	12.30	16.7	.	.	.	0.1	2	135	0.1
2	81	26	12.35	16.6	.	.	.	0.2	3	70	0.2
2	81	26	12.35	16.6	.	.	.	0.1	3	123	0.1
2	81	26	12.35	16.6	.	.	.	0.2	2	74	0.1
2	81	26	12.40	16.6	.	.	.	0.2	2	36	0.2
2	81	26	12.45	16.6	.	.	.	0.1	2	163	0.1
2	81	26	12.50	16.4	.	.	.	0.1	2	0	0.1
2	81	26	12.80	17.2	.	.	.	0.1	3	114	0.1
2	81	26	12.85	17.0
2	81	26	12.90	17.0	.	.	.	0.1	2	107	0.1
2	81	26	12.90	17.0	.	.	.	0.2	5	70	0.1
2	81	26	12.99	17.2
2	81	26	NO/13	17.2	16	8	80
2	81	26	13.01	17.2	.	.	.	0.1	4	103	0.1
2	81	26	13.25	17.4	.	.	.	0.2	4	92	0.2
2	81	26	13.30	17.5	.	.	.	0.3	5	116	0.3
2	81	26	13.50	17.5	.	.	.	0.1	2	121	0.1
2	81	26	13.65	17.8	.	.	.	0.2	3	129	0.1
2	81	26	13.80	18.0	.	.	.	0.1	3	98	0.1
2	81	26	13.90	17.8	.	.	.	0.1	4	97	0.1
2	81	26	13.95	17.7	.	.	.	0.2	2	120	0.1
2	81	26	O/END	17.4	2

CORRIDOR 3

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
3	79	92	AB/0	11.8	44
3	79	92	BC/1	11.7	58
3	79	92	CD/2	13.0	0
3	79	92	DE/3	11.5	5
3	79	92	EF/4	15.0	5
3	79	92	FG/5	17.7	56
3	79	92	GH/6	20.5	110
3	79	92	HI/7	21.9	74
3	79	92	IJ/8	22.3	108
3	79	92	JK/9	24.1	96
3	79	92	KL/10	22.6	76
3	79	92	LM/11	22.1	127
3	79	92	MN/12	21.8	144
3	79	92	NO/13	20.5	239
3	79	92	OP/14	25.8	165
3	79	92	PQ/15	27.1	162
3	79	92	QR/16	28.0	178
3	79	92	R/END	27.6
3	82	12	AB/0	11.5	6	6
3	82	12	0.10	11.3	.	.	35	0.1	2	167	0.1
3	82	12	0.40	11.9	.	.	.	0.1	2	170	0.1	.	.	3	0.1	13	168
3	82	12	0.40	11.9	.	.	13	0.1	2	170	0.1
3	82	12	0.45	12.0	.	.	16	0.1	1	156	0.1
3	82	12	0.95	12.4	.	.	34	0.1	3	142	0.1
3	82	12	BC/1	12.5	7	7
3	82	12	1.05	12.6	.	.	15	.	3	167
3	82	12	1.05	12.6	.	.	.	0.1	1	159	0.1
3	82	12	1.30	12.9	.	.	.	0.1	2	133	0.1
3	82	12	1.45	13.3	.	.	.	0.1	1	103	0.1	.	.	3	0.1	13	165
3	82	12	1.90	13.3	.	.	.	0.1	1	103	0.1
3	82	12	CD/2	12.3	6	6
3	82	12	2.75	10.2	2	.	.	.
3	82	12	2.85	10.7	.	.	.	0.1	1	167	0.1	.	.	.	0.1	7	142
3	82	12	2.85	10.7	.	.	.	0.1	2	152	0.1	152
3	82	12	2.90	11.4	.	.	.	0.1	2	151	0.1
3	82	12	2.90	11.4	.	.	.	0.1	1	150	0.1
3	82	12	DE/3	12.0	15	11
3	82	12	3.01	12.0	.	.	.	0.1	3	97	0.1	97
3	82	12	3.05	12.4	.	.	12	0.1	1	176	0.1
3	82	12	3.25	13.3	.	.	.	0.1	2	122	0.1
3	82	12	3.30	13.5	.	.	.	0.1	1	117	0.1

CORRIDOR 3

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SM/RH	DIM	MGL	MG#	MGD	MGW	MGO
3	82	12	3.30	13.5	.	.	.	0.1	1	118	0.1
3	82	12	3.35	13.7	.	.	.	0.1	2	91	0.1
3	82	12	3.45	14.1	.	.	.	0.1	2	94	0.1
3	82	12	3.55	14.4	.	.	.	0.1	2	101	0.1
3	82	12	3.60	14.6	.	.	.	0.1	2	132	0.1	.	.	2	0.1	8	142
3	82	12	3.70	14.8	.	.	.	0.1	2	132	0.1
3	82	12	EF/4	15.0	9	9
3	82	12	4.05	15.2	.	.	.	0.1	2	112	0.1
3	82	12	4.15	15.3	.	.	.	0.1	2	115	0.1
3	82	12	4.15	15.3	.	.	.	0.1	1	130	0.1
3	82	12	4.40	15.4	.	.	.	0.1	1	139	0.1
3	82	12	4.60	15.9	.	.	.	0.1	6	142	0.1
3	82	12	4.70	16.5	.	.	.	0.1	3	161	0.1
3	82	12	4.75	16.7	.	.	.	0.1	2	159	0.1
3	82	12	4.75	16.7	.	.	.	0.1	1	150	0.1
3	82	12	4.80	16.8	.	.	13	0.1	2	.	0.1
3	82	12	FG/5	17.8	7	2	.	0.1	5	141	0.1
3	82	12	5.20	18.8	.	.	.	0.2	5	113	0.1	185
3	82	12	5.25	18.9	.	.	.	0.1	2	118	0.1
3	82	12	GH/6	20.5	70	5	.	0.1	2	104	0.1
3	82	12	6.30	20.5	.	.	.	0.1	2	104	0.1
3	82	12	6.40	20.7	.	.	.	0.1	2	104	0.1
3	82	12	HI/7	21.6	67	3	.	0.1	2	146	0.1
3	82	12	7.20	22.0	.	.	.	0.1	2	118	0.1
3	82	12	7.65	22.6	.	.	.	0.1	2	118	0.1
3	82	12	7.80	22.7	.	.	.	0.1	3	123	0.1
3	82	12	IJ/8	22.4	87
3	82	12	JK/9	22.7	72	4
3	82	12	9.90	22.4
3	82	12	KL/10	22.5	41	0
3	82	12	LM/11	22.2	124	22
3	82	12	11.25	21.7
3	82	12	11.30	21.4
3	82	12	11.40	21.4	.	.	.	0.2	4	107	0.6
3	82	12	11.45	21.5
3	82	12	11.45	21.5
3	82	12	11.55	21.6	.	.	.	0.1	2	130	0.1
3	82	12	11.55	21.6	.	.	.	0.1	2	92	0.1
3	82	12	MN/12	21.7	86	8
3	82	12	12.60	21.2
3	82	12	12.75	21.1

CORRIDOR 3

CRDPR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
3	82	12	12:80	20.9	.	134	2	0.2	23	101
3	82	12	NO/13	21.0	268	.	.	.	7	16
3	82	12	13.01	23.3	1	140	0.1	.	.	12	0.4	52	114
3	82	12	13.10	23.5	.	.	.	0.1	2	142	0.1
3	82	12	13.15	23.5	.	.	.	0.1
3	82	12	13.20	23.8	19	0.2	47	140
3	82	12	13.30	23.8	8	0.3	22	117
3	82	12	13.30	23.8	.	.	.	0.3	3	139	0.4
3	82	12	13.30	23.8	.	.	.	0.3	5	107	0.4
3	82	12	13.35	23.8	.	.	.	0.2	5	109	0.2
3	82	12	13.35	23.8	10	0.2	35	133
3	82	12	13.45	23.8	9	0.7	57	117
3	82	12	13.55	23.9	18	0.8	108	122
3	82	12	13.60	24.0	7	0.1	12	123
3	82	12	13.70	24.2	8	0.2	50	123
3	82	12	13.75	24.2	2	.	11	161
3	82	12	13.75	23.2	2	0.5	14	146
3	82	12	13.75	23.9	4	0.4	19	98
3	82	12	13.80	24.0	2	.	12	102
3	82	12	13.90	24.2	27	0.8	132	123
3	82	12	OP/14	24.1

CORRIDOR 4

CRDPR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	77	39	BC/1	3.1	33
4	77	39	CD/2	5.2	27
4	77	39	DE/3	6.4	8
4	77	39	EF/4	7.8	14
4	77	39	FG/5	8.9	37
4	77	39	GH/6	9.8	67
4	77	39	HI/7	10.5	79
4	77	39	IJ/8	11.2	93
4	77	39	JK/9	12.0	87
4	77	39	KL/10	12.8	99
4	77	39	LM/11	13.7	113
4	77	39	MN/12	14.3	146
4	77	39	NO/13	14.8	115
4	77	39	OP/14	15.2	156
4	77	39	PQ/15	15.8	104
4	77	39	QR/16	16.7	147
4	77	39	RS/17	17.5	83
4	77	39	ST/18	18.2	119
4	77	39	TU/19	18.7	74
4	77	39	UV/20	19.1	91
4	77	39	VW/21	19.4	66
4	77	39	WX/22	19.9	78
4	77	39	XY/23	20.2	55
4	77	39	YZ/24	20.3	59
4	77	39	ZM/25	20.4	108
4	77	39	AABB/26	19.9	137
4	77	39	BBC/27	18.5	124
4	77	39	CCDD/28	17.2	173
4	77	39	DD/END	17.4
4	78	10	AB/0	.	59	4
4	78	10	BC/1	3.3
4	78	10	1.010	3.3
4	78	10	1.700	4.9
4	78	10	1.850	5.0
4	78	10	1.900	5.0
4	78	10	CD/2	5.3	36	6
4	78	10	2.250	5.7
4	78	10	2.300	5.8
4	78	10	2.650	6.3
4	78	10	2.700	6.5
4	78	10	2.850	6.7	.	.	48

CORRIDOR 4

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	78	10	2.850	6.7	.14	7	32	.1	2	20	.1
4	78	10	DE/3	6.9	.	.	17	.1	2	133	.1
4	78	10	3.150	6.8	.	.	17	.1	2	138	0.2
4	78	10	3.200	7.0	.	.	22	0.2	4	17
4	78	10	3.250	7.21	2	98	0.2
4	78	10	3.650	7.7
4	78	10	3.950	7.9
4	78	10	EF/4	8.0	27	4	25	3	.	10	22
4	78	10	4.250	8.0	.	.	68	.	1	165
4	78	10	4.300	8.3	.	.	.	0.1	1	39	0.1
4	78	10	4.500	8.5	.	.	.	0.1	5	141	0.1
4	78	10	4.950	8.9	.	.	.	0.1	3	99	0.1
4	78	10	FG/5	8.8	15	4
4	78	10	5.300	9.2	.	.	.	0.2	4	60	0.1
4	78	10	5.300	9.2	.	.	.	0.1	2	52	0.1
4	78	10	5.450	9.5	2	167
4	78	10	5.600	9.6	.	.	.	0.4	7	116	0.4
4	78	10	GH/6	9.8	29	6
4	78	10	6.100	9.7	.	.	25	.	2	38
4	78	10	6.400	10.1	2	7	.	.	65	2	0.1	0.7	19
4	78	10	6.400	10.1	.	.	72	.	2	35
4	78	10	6.500	10.3	.	.	50	.	2	169
4	78	10	6.950	10.2	.	.	43	0.1	1	.	0.1
4	78	10	HI/7	10.5	24	5
4	78	10	7.250	10.6	58	2	.	14	15
4	78	10	7.550	11.0	.	.	.	0.2	5	118	0.2
4	78	10	7.650	11.0	.	.	.	0.1	1	10	0.1
4	78	10	7.990	11.0	2	51
4	78	10	IJ/8	11.0	47	4
4	78	10	8.050	11.1	.	.	.	0.1	2	51	0.1
4	78	10	8.650	11.9	149	.	3	0.1	15	122
4	78	10	JK/9	12.0	63	6	2	0.2	15	130
4	78	10	9.050	11.9
4	78	10	9.100	12.0	.	.	53	.	3	2	.	29
4	78	10	9.800	12.5	50	3	.	17	35
4	78	10	KL/10	12.6	117	11
4	78	10	10.100	12.6	.	.	.	0.1	2	129	0.1
4	78	10	10.200	12.9	.	.	.	0.2	4	91	0.2
4	78	10	10.300	12.9	4	0.1	23	103
4	78	10	10.350	13.0	.	.	.	0.2	2	20	0.1
4	78	10	10.600	13.0	.	.	.	0.1	1	65	0.1

CORRIDOR 4

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	78	10	10.650	13.2	2	0.4	8	121
4	78	10	10.750	12.9	.	.	.	0.2	3	131	0.1
4	78	10	LM/11	13.4	120	24	9	0.3	41	131
4	78	10	11.050	13.3
4	78	10	11.100	13.5	.	.	.	0.2	2	111	0.1
4	78	10	11.200	13.5	2	0.4	18	98
4	78	10	11.550	13.6	2	0.3	12	95
4	78	10	11.800	14.0	5	0.1	25	51
4	78	10	11.850	13.9	5	0.3	35	60
4	78	10	MN/12	14.1	102	5
4	78	10	12.050	14.0	.	.	.	0.2	3	66	0.1
4	78	10	12.150	14.0	.	.	.	0.1	2	113	0.1
4	78	10	12.300	14.5	.	.	.	0.1	2	72	0.1
4	78	10	12.990	14.7	3	18
4	78	10	12.990	14.7	.	.	28	.	9	126	.	225
4	78	10	NO/13	14.7	127	19
4	78	10	13.650	15.1	2	69	.	276
4	78	10	13.700	15.0	.	.	.	0.3	6	74	0.7
4	78	10	13.800	15.0	.	.	.	0.5	8	90	0.4
4	78	10	13.850	15.1	4	0.3	19	153
4	78	10	13.950	15.2	7	.	39	152
4	78	10	13.950	15.2	222	.	5	.	18	15
4	78	11	OP/14	15.2	245	98	5	.	23	32
4	78	11	14.010	15.3	12	0.5	45	152
4	78	11	14.050	15.5	4	0.3	28	102
4	78	11	14.150	15.7	10	0.5	39	148
4	78	11	14.200	0.2	6	1.2	16	146
4	78	11	14.300	14.5	5	0.5	23	68
4	78	11	14.300	14.5	7	0.8	18	123
4	78	11	14.400	14.5	8	0.3	36	68
4	78	11	14.400	14.4	11	0.3	42	115
4	78	11	14.450	14.5	.	.	.	0.3	3	107	0.1	.	.	10	0.6	36	119
4	78	11	14.600	14.7	7	0.5	18	127
4	78	11	14.700	14.7
4	78	11	14.750	14.8	.	.	.	0.3	4	7	0.2	.	.	2	0.5	13	120
4	78	11	14.850	14.7	2	0.2	10	81
4	78	11	14.900	14.7	5	0.3	30	127
4	78	11	14.900	14.9	2	0.2	12	119
4	78	11	14.950	14.9
4	78	11	PQ/15	15.0	157	45

CORRIDOR 4

CRDPR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	78	11	15.010	15.0	2	0.2	12	119
4	78	11	15.050	14.2	4	0.5	27	120
4	78	11	15.100	14.4	.	.	.	0.2	4	77	0.3	.	.	16	0.5	118	115
4	78	11	15.250	14.5	5	0.3	16	110
4	78	11	15.350	14.6	12	0.3	115	104
4	78	11	15.450	14.7
4	78	11	15.500	14.8	.	.	.	0.1	2	108	0.1
4	78	11	15.550	15.0	.	.	.	0.2	5	110	0.1
4	78	11	15.600	15.0	.	.	.	0.5	4	112	0.4
4	78	11	15.700	15.1	.	.	.	0.4	3	74	0.3
4	78	11	15.990	15.3	.	.	.	0.4	8	104	0.5
4	78	11	QP/16	15.8	110	11
4	78	11	16.010	15.8	.	.	.	0.4	8	104	0.5
4	78	11	16.150	15.9	2	0.3	17	80
4	78	11	16.850	16.5	.	.	.	0.4	7	97	0.3	.	.	3	0.4	16	103
4	78	11	16.900	16.5	4	0.3	70	106
4	78	11	16.990	16.6	4	0.3	70	106
4	78	11	RS/17	16.6	125	21
4	78	11	17.010	16.6	4	0.3	70	106
4	78	11	17.150	16.6	.	.	.	0.4	7	102	0.5
4	78	11	17.250	16.8	.	.	.	0.5	8	95	0.4
4	78	11	17.350	17.0	3	0.5	25	90
4	78	11	17.400	17.1	5	0.5	32	100
4	78	11	17.500	17.2	.	.	.	0.3	2	117	0.1	.	.	3	0.2	15	117
4	78	11	17.550	17.3	3	0.2	37	118
4	78	11	17.850	17.5
4	78	11	ST/18	17.5	127	13
4	78	11	18.050	17.7	.	.	.	0.2	14	90	0.1
4	78	11	18.200	17.6	.	.	45	.	2	75
4	78	11	18.250	17.8	.	.	.	0.5	3	110	0.2
4	78	11	18.300	17.8	.	.	.	0.3	3	110	0.2
4	78	11	18.300	17.8	.	.	.	0.2	2	112	0.1
4	78	11	18.750	18.0	.	.	.	0.3	12	104	0.2
4	78	11	18.850	18.0	7	0.3	23	142
4	78	11	TU/19	18.2	97	0
4	78	11	UV/20	18.7	120	6
4	78	11	20.300	18.7	3	0.4	12	111
4	78	11	20.400	18.8	2	0.4	17	99
4	78	11	20.600	18.8	.	.	.	0.3	3	114	0.4
4	78	11	VW/21	19.0	117	7
4	78	11	21.300	19.1	340	.	2	.	12	133

CORRIDOR 4

CPDP#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	78	11	21,300	19.1	3	136	.	343	.	3	0.3	16	136
4	78	11	21,300	19.1	3	136
4	78	11	21,350	19.1	2	136
4	78	11	W/X/22	19.3	93	2
4	78	11	22,800	19.6	2	1.2	13	108
4	78	11	XY/23	19.6	97
4	78	11	YZ/24	19.9	112	6
4	78	11	24,750	19.9	240	.	3	.	11	33
4	78	11	24,900	19.6	4	62	.	269	.	.	.	33	
4	78	11	24,900	19.6	157	55	2	.	13	130
4	78	11	ZAA/25	19.7	148	5	2	0.1	12	92
4	78	11	25,550	19.8	3	0.3	27	97
4	78	11	25,600	19.8
4	78	11	AABB/26	19.7	188	5	5	0.5	28	94
4	78	11	26,500	19.2
4	78	11	BBC/27	18.5
4	80	20	AB/0
4	80	20	BC/1	3.1	25	5
4	80	20	1,150	3.3	.	.	.	0.1	1	148	0.1
4	80	20	1,500	4.0	.	.	.	0.1	1	44	0.1
4	80	20	1,600	4.2	2	0.1	7	176
4	80	20	1,800	4.8	.	.	.	0.1	1	50	0.1
4	80	20	CD/2	5.1	24	3
4	80	20	2,050	5.2	.	.	.	0.2	5	52	0.2	259
4	80	20	2,400	5.9	.	.	.	0.1	2	65	0.1
4	80	20	2,500	6.0	.	.	.	0.1	3	50	0.1
4	80	20	DE/3	6.6	23	0
4	80	20	EF/4	7.6	18	4
4	80	20	4,600	8.3	.	.	.	0.1	1	136	0.1
4	80	20	4,900	8.3	38	3	0.1	21	150
4	80	20	FG/5	8.8	26	4
4	80	20	5,200	8.7	2	0.1	4	160
4	80	20	5,300	9.0	.	.	.	0.4	5	23	0.4
4	80	20	5,350	9.0	.	.	.	0.1	3	122	0.1
4	80	20	5,350	9.0	.	.	.	0.1	3	122	0.1
4	80	20	GH/6	9.2	48	5	.	0.1	1	27	0.1
4	80	20	6,800	10.4
4	80	20	6,900	10.3	3	0.1	12	45
4	80	20	6,950	10.2	2	16
4	80	20	HI/7	10.5	29	9
4	80	20	7,050	10.5	3
4	80	20			.	.	77

CORRIDOR 4

CRDPR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	80	20	7.400	10.5	.	.	.	0.1	3	123	0.1
4	80	20	7.400	10.5	.	.	.	0.1	1	109	0.1
4	80	20	7.800	10.8	.	.	.	0.1	2	120	0.1
4	80	20	7.850	10.9	.	.	.	0.1	2	67	0.1
4	80	20	7.900	11.0
4	80	20	7.950	11.0	.	.	.	0.1	1	145	0.1	178
4	80	20	J/K/9	11.1
4	80	20	J/K/9	12.0
4	80	20	KL/10	12.6	157	52
4	80	20	10.050	12.5	23
4	80	20	10.050	12.5	18
4	80	20	10.050	12.5	30
4	80	20	10.200	12.6	52
4	80	20	10.300	12.9	38
4	80	20	10.300	12.9	6
4	80	20	10.350	12.9	30
4	80	20	10.500	13.0	28
4	80	20	10.500	13.0	11
4	80	20	10.500	13.0	9
4	80	20	10.500	13.0	35
4	80	20	10.700	13.1	20
4	80	20	10.700	13.1	.	.	.	0.2	5	43	0.1	110
4	80	20	10.700	13.1	.	.	.	0.1	6	35	0.1
4	80	20	10.750	13.1
4	80	20	10.800	13.0	.	.	.	0.3	7	104	0.4	53
4	80	20	10.800	13.0	.	.	.	0.2	6	100	0.1	163
4	80	20	10.850	13.1	.	.	.	0.2	6	26	0.1
4	80	20	10.950	13.2	.	.	.	0.2	2	26	0.1
4	80	20	LM/1	13.2	111	20
4	80	20	11.250	13.4	.	.	.	0.1	1	14	0.1
4	80	20	11.400	13.5	.	.	.	0.4	2	71	0.5
4	80	20	11.400	13.5
4	80	20	11.600	13.7	164
4	80	20	11.600	13.7	191
4	80	20	11.850	13.9	62
4	80	20	11.850	13.9	.	.	.	0.6	3	98	0.7	32
4	80	20	MN/12	14.0	64	10
4	80	20	12.150	14.0
4	80	20	12.350	14.2	.	.	.	0.3	2	122	0.2	42
4	80	20	12.350	14.2	.	.	.	0.3	2	122	0.2
4	80	20	12.350	14.2	.	.	.	0.5	5	38	0.5
4	80	20	12.500	14.3	.	.	.	0.5	13	82	0.7
4	80	20	12.800	14.5	.	.	.	0.4	11	95	0.8
4	80	20	12.900	14.6
4	80	20	12.900	14.6	.	.	.	0.4	5	42	0.4	17
4	80	20	12.900	14.6	.	.	.	0.4	5	42	0.4	142
4	80	20	12.950	14.6	.	.	.	0.3	11	48	0.4
4	80	20	NO/13	14.7	149	21
4	80	20	13.250	14.9	.	.	.	0.2	2	38	0.3
4	80	20	13.650	15.1	35
4	80	20	13.650	15.1	25
4	80	20	13.700	15.1	134

CORRIDOR 4

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	80	20	13.700	15.1	.	.	.	0.1	2	96	0.1
4	80	20	13.700	15.1	.	.	.	0.3	2	62	0.1
4	80	20	13.800	15.1	.	.	.	0.1	2	71	0.1
4	80	20	13.800	15.1	.	.	.	0.1	2	56	0.1
4	80	20	13.850	15.2	.	.	.	0.1	2	50	0.1
4	80	20	13.850	15.2	2	0.4	16	74
4	80	20	OP/14	15.2	122	31
4	80	20	14.010	15.1	4	0.8	35	30
4	80	20	14.100	15.3	.	.	.	0.4	2	113	0.2
4	80	20	14.150	15.2	.	.	.	0.3	3	79	0.3
4	80	20	14.150	15.2	.	.	.	0.6	3	84	0.3
4	80	20	14.250	15.2	.	.	.	0.7	25	90	0.9
4	80	20	14.300	15.3	.	.	.	0.2	2	101	0.4
4	80	20	14.300	15.3	.	.	.	0.2	2	102	0.3
4	80	20	14.300	15.3	.	.	.	0.3	3	102	0.3
4	80	20	14.350	15.5	4	0.4	37	90
4	80	20	14.400	15.5	3	0.5	36	153
4	80	20	14.500	15.3	.	.	.	0.5	5	42	0.2	.	.	.	0.2	20	87
4	80	20	14.550	15.4
4	80	20	14.600	15.3	.	.	.	0.3	3	91	0.2
4	80	20	14.600	15.3	.	.	.	0.1	2	111	0.1
4	80	20	14.600	15.3	.	.	.	0.5	3	1	0.3
4	80	20	14.700	15.5	.	.	.	0.5	3	94	0.3
4	80	20	14.700	15.4	.	.	.	0.3	2	86	0.1
4	80	20	14.750	15.5	.	.	.	0.3	4	78	0.2
4	80	20	14.800	15.5	.	.	.	0.2	5	74	0.2
4	80	20	PC/15	15.6
4	80	20	QR/16	16.6
4	80	20	R/END
4	82	4	AB/0
4	82	4	BC/1
4	82	4	CD/2	5.0	39
4	82	4	DE/3	6.8	19
4	82	4	EF/4	7.8	24	3
4	82	4	4.400	7.8	.	.	.	0.1	2	50	0.1
4	82	4	4.450	7.9	.	.	.	0.1	1	22	0.1
4	82	4	4.500	8.0	.	.	.	0.1	2	125	0.1
4	82	4	FG/5	8.5	29	.	.	0.1	3	56	0.1
4	82	4	5.050	8.6	.	.	.	0.1	3	.	0.1
4	82	4	GH/6	9.5	33	1	.	.	4	56	0.1
4	82	4	6.250	9.6	.	.	.	0.1	4	147	0.2

CORRIDOR 4

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	82	4	HI/7	10.3	16	6	.	.	4	21	.	9
4	82	4	7.010	10.3	.	.	.	0.1	4	64	0.1
4	82	4	7.450	10.4	.	.	.	0.1	2	64	0.1
4	82	4	7.600	10.7	.	.	.	0.2	3	66	0.2
4	82	4	7.750	10.7	.	.	.	0.1	2	113	0.1
4	82	4	7.950	10.9	.	.	.	0.2	2	117	0.2
4	82	4	7.990	11.0	.	.	.	0.2	3	115	0.1
4	82	4	I/J/8	11.0
4	82	4	JK/9	11.6
4	82	4	KL/10	12.3	93	8
4	82	4	10.300	12.5	.	.	.	0.3	3	90	0.2
4	82	4	10.350	12.6	.	.	.	0.2	3	30	0.1
4	82	4	10.500	12.7	.	.	.	0.6	3	100	0.9
4	82	4	10.500	12.7	.	.	.	0.2	2	66	0.2
4	82	4	10.700	12.5	.	.	.	0.9	3	95	0.6
4	82	4	10.700	12.5
4	82	4	10.800	12.7	.	.	.	0.7	10	66	0.9
4	82	4	LM/11	12.8	75	13
4	82	4	11.150	13.0
4	82	4	11.150	13.0	.	.	.	0.4	3	103	0.2
4	82	4	11.400	13.5
4	82	4	11.500	13.5
4	82	4	11.600	13.6	.	.	.	0.5	3	32	0.8
4	82	4	11.700	13.7
4	82	4	MN/12	14.0	58	8	.	.	5	16
4	82	4	12.200	14.0
4	82	4	12.500	14.2
4	82	4	12.550
4	82	4	NO/13	.	104	17
4	82	4	13.010
4	82	4	13.010
4	82	4	13.010
4	82	4	13.150
4	82	4	13.300
4	82	4	13.500	14.7	.	.	.	0.1	2	45	0.1
4	82	4	13.750	14.9
4	82	4	13.750	14.9	.	.	.	0.2	6	55	0.4
4	82	4	13.900	14.8	.	.	.	0.6	8	78	0.9
4	82	4	13.990	14.7
4	82	4	OP/14	14.7	102	19
4	82	4	14.010	14.7

CORRIDOR 4

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	82	4	14.150	14.9	.	.	.	0.5	8	14	0.3
4	82	4	14.200	15.0	9	0.2	55	80
4	82	4	14.400	15.1	3	0.5	36	80
4	82	4	14.450	15.1	.	.	.	0.6	6	48	0.4
4	82	4	14.500	15.2	.	.	.	0.3	3	100	0.4
4	82	4	14.550	15.2	.	.	.	0.6	5	55	0.3
4	82	4	P/END	15.6
4	85	21	3-4KM	7.7	66	63
4	85	21	3.630	7.7	.	.	50	0.1	5	123	0.1
4	85	21	3.715	7.7	.	.	.	0.2	4	353	0.15
4	85	21	3.770	7.8
4	85	21	3.835	7.8	.	.	.	0.1	1	0	0.1
4	85	21	3.875	7.9	.	.	.	0.1	1	.	0.1
4	85	21	3.920	7.9	.	.	.	0.25	2	.	0.1
4	85	21	3.980	7.9	12	0.2	35	103
4	85	21	4-5KM	7.6	114	53
4	85	21	4.060	8.0	2	0.2	10	93
4	85	21	4.085	8.0	.	.	.	0.1	2	103	0.1
4	85	21	4.125	8.0	.	.	.	0.25	2	3	0.2
4	85	21	4.170	8.0	.	.	.	0.1	4	73	0.1
4	85	21	4.200	8.0	.	.	.	0.1	2	353	0.1
4	85	21	4.210	8.0	.	.	.	0.1	5	53	0.1
4	85	21	4.270	8.1	.	.	.	0.1	2	73	0.1
4	85	21	4.290	8.3	.	.	.	0.1	3	83	0.1
4	85	21	4.360	8.3	.	.	.	0.25	2	83	0.4
4	85	21	4.300	8.3	8	0.2	80	73
4	85	21	4.410	8.3	.	.	.	0.1	1	103	0.1
4	85	21	4.430	8.4	.	.	.	0.1	1	103	0.1
4	85	21	4.440	8.4	.	.	.	0.1	1	23	0.1
4	85	21	4.485	8.4	.	.	.	0.1	1	53	0.1
4	85	21	4.515	8.5	.	.	.	0.1	1	53	0.1
4	85	21	4.535	8.5	.	.	.	0.1	2	33	0.1
4	85	21	4.540	8.5	.	.	.	0.1	2	33	0.1
4	85	21	4.630	8.5	.	.	.	0.1	2	13	0.1
4	85	21	4.690	8.5	.	.	.	0.1	2	53	0.1
4	85	21	4.715	8.6	2	0.1	.	3
4	85	21	4.750	8.6	6	0.2	30	63
4	85	21	4.850	8.7	.	.	.	0.1	2	73	0.1
4	85	21	4.860	8.8	.	.	.	0.1	2	83	0.1
4	85	21	4.875	8.8	2	0.2	8	.
4	85	21	4.915	8.9	.	.	.	0.1	1	73	0.1	73

CORRIDOR 4

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	4.940	8.9	.	.	.	0.1	1	73	0.1	.	.	15	0.1	60	73
4	85	21	4.955	8.9	15	0.1	60	73
4	85	21	5-6KM	8.9	103	103	28	0.2	190	43
4	85	21	5.010	8.9	15	0.3	50	83
4	85	21	5.210	8.9
4	85	21	5.280	8.9	2	63	0.1	
4	85	21	5.285	9.2	.	.	.	0.1	2	63	0.1	
4	85	21	5.295	9.2	.	.	.	0.1	4	93	0.1	
4	85	21	5.340	9.3	2	0.1	.	33
4	85	21	5.350	9.3	.	.	.	0.1	1	73	0.1	
4	85	21	5.350	9.5	0.2	125	63
4	85	21	5.495	9.5	.	.	.	0.1	2	33	0.1	
4	85	21	5.505	9.5	27	0.2	190	63
4	85	21	5.705	9.6	.	.	.	0.1	1	33	0.1	
4	85	21	5.770	9.6	.	.	.	0.1	2	43	0.1	
4	85	21	5.830	9.7	.	.	.	0.1	3	33	0.1	
4	85	21	5.865	9.7	3	0.2	10	63
4	85	21	5.880	9.7	8	0.2	15	23
4	85	21	5.975	9.8	2	0.1	10	353
4	85	21	6-7KM	9.2	79	50
4	85	21	6.130	9.2	.	.	.	0.1	2	53	0.1	
4	85	21	6.190	9.8	.	.	.	0.1	1	83	0.1	
4	85	21	6.200	9.7	.	.	.	0.1	2	83	0.1	
4	85	21	6.225	9.8	.	.	.	0.1	2	23	0.1	
4	85	21	6.300	9.8	.	.	.	0.1	1	43	0.1	
4	85	21	6.370	10.1	.	.	.	0.1	2	53	0.1	
4	85	21	6.420	10.0	25	0.1	205	63
4	85	21	6.690	10.2	.	.	.	0.1	3	13	0.1	
4	85	21	6.825	10.2	.	.	.	0.1	1	63	0.1	
4	85	21	6.850	10.2	.	.	.	0.1	2	53	0.1	
4	85	21	7-8KM	10.3	44	44
4	85	21	7.020	10.3	.	.	.	0.1	2	63	0.1	
4	85	21	7.022	10.4	.	.	.	0.1	3	103	0.1	
4	85	21	7.110	10.5	.	.	.	0.1	5	13	0.1	
4	85	21	7.250	10.6	.	.	.	0.1	4	0.3	0.1	
4	85	21	7.295	10.6	.	.	.	0.1	1	63	0.1	
4	85	21	7.320	10.7	.	.	.	0.1	1	63	0.1	
4	85	21	7.330	10.7	.	.	.	0.1	1	63	0.1	
4	85	21	7.345	10.8	.	.	.	0.1	1	63	0.1	
4	85	21	7.350	10.8	.	.	.	0.2	1	63	0.2	
4	85	21	7.300	10.7	.	.	.	0.2	1	63	0.2	

CORRIDOR 4

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	7.480	11.0	.	.	.	0.1	2	43	0.1
4	85	21	7.488	11.0	.	.	.	0.1	2	33	0.1
4	85	21	7.490	11.0	.	.	.	0.1	2	13	0.1
4	85	21	7.515	11.0	.	.	.	0.1	3	93	0.1
4	85	21	7.520	11.0	.	.	.	0.1	3	358	0.1
4	85	21	7.540	11.0	4	0.1	12	43
4	85	21	7.625	11.0	.	.	.	0.1	2	53	0.1
4	85	21	7.665	11.0	.	.	.	0.1	1	53	0.1
4	85	21	7.675	11.0	.	.	.	0.1	1	23	0.1
4	85	21	7.725	11.0	.	.	.	0.1	2	33	0.1
4	85	21	7.750	11.0	.	.	.	0.1	1	33	0.1
4	85	21	7.800	11.0	.	.	.	0.1	2	3	0.1
4	85	21	7.810	11.0	.	.	.	0.1	2	83	0.1
4	85	21	7.840	11.0	.	.	.	0.1	2	43	0.1
4	85	21	7.890	11.0	.	.	.	0.1	2	23	0.1
4	85	21	7.925	11.0	.	.	.	0.1	1	53	0.1
4	85	21	7.955	11.0	.	.	.	0.1	1	63	0.1
4	85	21	8.9KM	11.0	31	29
4	85	21	8.010	11.0	.	.	.	0.1	1	43	0.1
4	85	21	8.025	11.0	.	.	.	0.1	2	53	0.1
4	85	21	8.370	11.0	.	.	.	0.1	1	63	0.1
4	85	21	8.390	11.0	.	.	.	0.1	1	93	0.1
4	85	21	8.400	11.0	.	.	.	0.1	1	93	0.1
4	85	21	8.400	11.0	.	.	.	0.1	2	23	0.1
4	85	21	8.580	11.1	.	.	.	0.1	2	53	0.1
4	85	21	8.630	11.8	.	.	.	0.1	3	43	0.1
4	85	21	8.680	11.9	.	.	.	0.1	1	73	0.1
4	85	21	8.690	11.9	.	.	.	0.1	1	73	0.1
4	85	21	8.710	11.9	.	.	.	0.1	2	353	0.1
4	85	21	8.755	11.9	.	.	.	0.1	1	43	0.1
4	85	21	8.760	11.9	.	.	.	0.1	2	133	0.1
4	85	21	8.800	11.9	.	.	.	0.1	1	63	0.1
4	85	21	8.850	11.9	.	.	.	0.1	2	63	0.1
4	85	21	8.890	11.9	.	.	.	0.1	1	53	0.1
4	85	21	8.925	11.9	.	.	.	0.1	1	3	0.1
4	85	21	8.960	12.0	.	.	.	0.1	1	348	0.1
4	85	21	8.990	12.0	.	.	.	0.1	2	53	0.1
4	85	21	9-10KM	12.0	53	43
4	85	21	9.010	12.0	.	.	.	0.25	2	53	0.2	.	.	10	0.2	60	53
4	85	21	9.085	12.0	.	.	.	0.1	4	13	0.1
4	85	21	9.100	12.0	.	.	.	0.1

CORRIDOR 4

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	9.120	12.1	.	.	.	0.1	3	53	0.1
4	85	21	9.130	12.1	.	.	.	0.1	4	63	0.1
4	85	21	9.150	12.1	.	.	.	0.1	3	103	0.1
4	85	21	9.165	12.1	.	.	.	0.3	2	33	0.2
4	85	21	9.195	12.2	.	.	.	0.1	2	13	0.1
4	85	21	9.205	12.2	.	.	.	0.1	1	43	0.1
4	85	21	9.270	12.2	2	0.1	0.6	53
4	85	21	9.285	12.2	.	.	.	0.1	1	33	0.1
4	85	21	9.300	12.2	.	.	.	0.1	2	23	0.1
4	85	21	9.330	12.3	.	.	.	0.1	2	53	0.1
4	85	21	9.345	12.3	.	.	.	0.1	1	53	0.1
4	85	21	9.440	12.3	.	.	.	0.1	1	33	0.1
4	85	21	9.450	12.3	3	0.1	10	358
4	85	21	9.475	12.3	.	.	.	0.1	1	33	0.1
4	85	21	9.510	12.3	.	.	.	0.1	3	13	0.1
4	85	21	9.635	12.4	.	.	.	0.1	3	23	0.1
4	85	21	9.710	12.4	.	.	.	0.1	2	73	0.1
4	85	21	9.725	12.4	.	.	.	0.35	7	43	0.5
4	85	21	9.735	12.4	.	.	.	0.1	1	13	0.1
4	85	21	9.750	12.4	.	.	.	0.1	1	63	0.1
4	85	21	9.770	12.5	.	.	.	0.1	2	43	0.1
4	85	21	9.800	12.5	.	.	.	0.1	2	63	0.1
4	85	21	9.860	12.5	.	.	.	0.1	1	63	0.1
4	85	21	9.960	12.5	.	.	.	0.1	1	43	0.1
4	85	21	9.990	12.5	.	.	.	0.1	2	43	0.1
4	85	21	10-11KM	12.5	105	51
4	85	21	10.010	12.6
4	85	21	10.075	12.7	.	.	.	0.1	2	23	0.1	.	.	4	0.2	18	113
4	85	21	10.075	12.7	.	.	.	0.1	2	23	0.1
4	85	21	10.100	12.7	.	.	.	0.1	2	33	0.1
4	85	21	10.140	12.8	.	.	.	0.1	1	53	0.1
4	85	21	10.200	12.9	.	.	.	0.1	1	53	0.1
4	85	21	10.200	12.9	.	.	.	0.1	2	43	0.1
4	85	21	10.245	12.9	.	.	.	0.1	1	23	0.1
4	85	21	10.265	12.9	.	.	.	0.25	2	53	0.2
4	85	21	10.300	13.0	.	.	.	0.1	1	53	0.1
4	85	21	10.330	13.0	.	.	.	0.1	2	53	0.1
4	85	21	10.375	13.0	3	43	0.1
4	85	21	10.385	13.0	.	.	.	0.1	1	23	0.1
4	85	21	10.495	13.1	.	.	.	0.1	1	33	0.1
4	85	21	10.565	13.1	.	.	.	0.1	2	3	0.1

CORRIDOR 4

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	10.600	13.1	.	.	.	0.1	2	53	0.1
4	85	21	10.620	13.2	.	.	.	0.1	2	23	0.1	.	.	4	0.1	0.9	103
4	85	21	10.675	13.2	.	.	.	0.1	2	23	0.1
4	85	21	10.675	13.2	.	.	.	0.1	2	23	0.1
4	85	21	10.710	13.2	.	.	.	0.1	1	53	0.1
4	85	21	10.760	12.9	.	.	.	0.1	1	53	0.1
4	85	21	10.790	13.2	.	.	.	0.5	4	63	0.25
4	85	21	10.790	13.2	3	0.2	0.4	13
4	85	21	10.840	13.2	13
4	85	21	10.900	13.3	.	.	.	0.1	2	348	0.1
4	85	21	10.915	13.3	.	.	.	0.2	2	53	0.2
4	85	21	10.925	13.3	.	.	.	0.2	2	53	0.2
4	85	21	10.975	13.3	2	0.1	0.3	73
4	85	21	11-12KM	13.3	135	12
4	85	21	11.030	13.4	.	.	.	0.1	1	53	0.1
4	85	21	11.055	13.3	.	.	.	0.1	3	73	0.1
4	85	21	11.060	13.4	.	.	.	0.1	1	53	0.1
4	85	21	11.090	13.4	8	0.2	0.25	83
4	85	21	11.140	13.4	2	0.25	0.6	33
4	85	21	11.160	13.5	.	.	.	0.1	3	93	0.1
4	85	21	11.260	13.5	.	.	.	0.35	3	93	0.4
4	85	21	11.265	13.5	.	.	.	0.1	1	33	0.1
4	85	21	11.295	13.5	.	.	.	0.1	2	23	0.1
4	85	21	11.320	13.5	.	.	.	0.1	1	63	0.1
4	85	21	11.310	13.5	.	.	70	0.1	2	133	0.1
4	85	21	11.355	13.5	.	.	.	0.1	2	43	0.1
4	85	21	11.360	13.5	.	.	.	0.25	3	93	0.25
4	85	21	11.420	13.5	.	.	.	0.1	2	13	0.1
4	85	21	11.475	13.6	.	.	.	0.1	4	83	0.1
4	85	21	11.475	13.6	.	.	.	0.1	4	83	0.1
4	85	21	11.530	13.6	.	.	.	0.1	1	63	0.1
4	85	21	11.560	13.6	.	.	.	0.1	2	43	0.1
4	85	21	11.590	13.7	.	.	.	0.3	3	43	0.3
4	85	21	11.600	13.7	.	.	.	0.1	4	var	0.1
4	85	21	11.655	13.7	.	.	.	0.1	2	3	0.1
4	85	21	11.675	13.8	.	.	.	0.1	1	63	0.1
4	85	21	11.700	13.8
4	85	21	11.725	13.8	.	.	.	0.1	2	13	0.1	.	.	5	0.4	15	13
4	85	21	11.730	14.0	10	0.2	50	33
4	85	21	11.780	14.0	6	0.4	25	13
4	85	21	11.875	14.0	.	.	.	0.3	3	33	0.5
4	85	21	11.875	14.0	.	.	.	0.2	3	93	0.4

CORRIDOR 4

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMR#	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	11.940	14.0	.	.	.	0.1	1	93	0.1
4	85	21	11.950	14.0	.	.	.	0.1	2	33	0.1
4	85	21	12-13KM	14.5	118	79	.	0.1	7	113	0.6
4	85	21	12.345	14.5	.	.	.	0.1	2	43	0.1
4	85	21	12.445	14.5	.	.	.	0.1	2	43	0.1
4	85	21	12.450	14.5	.	.	.	0.1	2	43	0.1
4	85	21	12.495	14.5	.	.	.	0.5	5	73	0.5
4	85	21	12.550	14.6	12	.	27	93
4	85	21	12.585	14.6	.	.	.	0.1	2	23	0.1
4	85	21	12.605	14.6	.	.	.	0.1	1	33	0.1
4	85	21	12.625	14.7	.	.	.	0.1	2	3	0.1
4	85	21	12.625	14.7	.	.	40	0.1	2	353	0.1
4	85	21	12.650	14.7	4	0.1	15	33
4	85	21	12.680	14.7	4	0.1	12	103
4	85	21	12.725	14.7	.	.	.	0.1	2	63	0.1
4	85	21	12.750	14.7	.	.	.	0.1	2	93	0.1
4	85	21	12.785	14.7	.	.	.	0.1	2	43	0.1
4	85	21	12.855	14.7	.	.	.	0.45	1	23	0.5
4	85	21	12.880	14.7	.	.	.	0.1	1	3	0.1
4	85	21	12.885	14.7	.	.	.	0.1	2	53	0.1
4	85	21	12.940	14.7	.	.	.	0.25	2	43	0.2
4	85	21	12.975	14.7	.	.	.	0.1	1	53	0.1
4	85	21	12.990	14.7	.	.	.	0.5	2	43	0.3
4	85	21	13-14KM	14.7	167	132	.	0.1	2	13	0.1
4	85	21	13.015	14.7	.	.	.	0.1	1	53	0.1
4	85	21	13.015	14.7	.	.	.	0.1	1	53	0.1
4	85	21	13.040	14.7	.	.	.	0.25	2	33	0.25
4	85	21	13.055	14.8	2	0.5	0.9	33
4	85	21	13.070	14.8	28	0.8	70	103
4	85	21	13.090	14.8	.	.	.	0.6	4	13	0.1
4	85	21	13.120	14.8	2	0.2	10	23
4	85	21	13.120	14.8	.	.	.	0.3	8	63	0.5
4	85	21	13.180	14.8	.	.	.	0.25	5	113	0.25
4	85	21	13.210	14.8	.	.	.	0.1	3	123	0.1
4	85	21	13.245	14.8	.	.	.	0.5	4	73	0.4
4	85	21	13.250	14.9	4	0.1	12	113
4	85	21	13.345	14.9	2	0.5	15	83
4	85	21	13.355	14.9	.	.	.	0.1	3	23	0.1
4	85	21	13.360	14.9	.	.	.	0.1	2	23	0.1
4	85	21	13.410	14.9	7	0.5	22	83
4	85	21	13.425	14.9	.	.	.	0.1	1	123	0.1

CORRIDOR 4

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	13.450	14.9	.	.	.	0.1	2	348	0.1
4	85	21	13.465	15.0	.	.	.	0.3	3	23	0.2
4	85	21	13.500	15.0	.	.	.	0.1	1	23	0.1
4	85	21	13.540	15.1	.	.	.	0.1	2	353	0.1
4	85	21	13.550	15.0	4	0.1	15	83
4	85	21	13.600	15.0	.	.	.	0.1	1	33	0.1
4	85	21	13.620	15.0	.	.	.	0.1	2	33	0.1
4	85	21	13.650	15.0	.	.	.	0.1	2	23	0.1
4	85	21	13.660	15.0	.	.	.	0.1	2	13	0.1
4	85	21	13.675	15.0	.	.	.	0.1	1	33	0.1
4	85	21	13.690	15.0	.	.	.	0.1	1	13	0.1
4	85	21	13.690	15.0	6	0.6	35	103
4	85	21	13.760	15.0	5	0.75	25	103
4	85	21	13.775	15.0	.	.	.	0.1	5	33	0.1
4	85	21	13.805	15.1	.	.	.	0.1	1	33	0.1
4	85	21	13.815	15.1	.	.	.	0.1	2	3	0.1
4	85	21	13.825	15.1	.	.	.	0.1	2	63	0.1
4	85	21	13.850	15.1	.	.	.	0.1	1	53	0.1
4	85	21	13.865	15.1	.	.	.	0.1	2	33	0.1
4	85	21	13.880	15.1	.	.	.	0.1	2	123	0.1
4	85	21	13.890	15.1	.	.	.	0.1	2	33	0.1
4	85	21	13.895	15.1	5	0.35	16	93
4	85	21	13.920	15.2	.	.	.	0.1	3	133	0.1
4	85	21	13.935	15.2	.	.	.	0.1	2	13	0.1
4	85	21	13.970	15.2	12	0.1	25	23
4	85	21	13.970	15.2	.	.	.	0.5	4	63	0.4
4	85	21	14-15KM	15.2	142	9
4	85	21	14.010	15.3	.	.	.	0.25	2	33	0.25
4	85	21	14.025	15.3	.	.	.	0.25	1	33	0.25
4	85	21	14.035	15.3	.	.	.	0.25	1	43	0.25
4	85	21	14.030	15.4	.	.	.	0.25	14	93	0.25
4	85	21	14.075	15.4	.	.	.	0.25	1	73	0.25
4	85	21	14.145	15.5	3	0.1	15	118
4	85	21	14.170	15.7	5	0.5	15	33
4	85	21	14.200	15.7	4	0.1	10	73
4	85	21	14.210	15.7	15	0.6	90	43
4	85	21	14.280	14.5	8	0.1	38	93
4	85	21	14.345	14.5	.	.	.	0.1	3	33	0.1
4	85	21	14.380	14.4	.	.	.	0.1	6	23	0.1
4	85	21	14.410	14.5	8	0.5	29	73
4	85	21	14.450	14.5	2	0.1	10	3

CORRIDOR 4

CPDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	14,460	14.5	.	.	.	0.1	6	53	0.3
4	85	21	14,485	14.5	.	.	.	0.1	6	53	0.1
4	85	21	14,490	14.5
4	85	21	14,500	14.6	.	.	.	0.1	2	53	0.1	.	.	3	0.3	17	83
4	85	21	14,500	14.6	.	.	.	0.1	1	23	0.1
4	85	21	14,550	14.6	.	.	.	0.3	10	93	0.3
4	85	21	14,575	14.6	.	.	.	0.1	1	33	0.1
4	85	21	14,575	14.7	.	.	.	0.1	2	93	0.1
4	85	21	14,610	14.7	.	.	.	0.1	2	53	0.1
4	85	21	14,630	14.7	.	.	.	0.1	2	53	0.1
4	85	21	14,650	14.7
4	85	21	14,660	14.7
4	85	21	14,685	14.7
4	85	21	14,710	14.7	.	.	.	0.25	4	93	0.2
4	85	21	14,715	14.7	.	.	.	0.1	2	53	0.1
4	85	21	14,740	14.8
4	85	21	14,765	14.8	.	.	.	0.1	5	23	0.1	.	.	5	0.7	22	53
4	85	21	14,800	14.8	.	.	.	0.25	2	73	0.25
4	85	21	14,810	14.8	.	.	.	0.1	2	33	0.1
4	85	21	14,815	14.8	.	.	.	0.1	4	13	0.1
4	85	21	14,850	14.8	.	.	.	0.1	2	43	0.1
4	85	21	14,865	14.8	.	.	.	0.1	3	43	0.1
4	85	21	14,780	14.9
4	85	21	14,920	14.9	.	.	.	0.1	2	43	0.1	0.1	30
4	85	21	14,925	14.9
4	85	21	14,985	14.9	.	.	.	0.1	1	93	0.1	.	.	3	0.4	26	93
4	85	21	15-16KM	15.0	175	40
4	85	21	15,010	15.0	.	.	.	0.25	3	83	0.25
4	85	21	15,025	14.2
4	85	21	15,080	14.2	.	.	.	0.1	2	43	0.1	.	.	10	0.4	42	73
4	85	21	15,085	14.2
4	85	21	15,100	14.4
4	85	21	15,150	14.3	.	.	.	0.1	2	83	0.1	.	.	8	0.1	0.6	113
4	85	21	15,180	14.4	.	.	.	0.1	2	73	0.1
4	85	21	15,200	14.4	.	.	.	0.1	3	73	0.1
4	85	21	15,210	14.4	.	.	.	0.7	3	353	0.2
4	85	21	15,240	14.5
4	85	21	15,275	14.5	5	0.2	19	43
4	85	21	15,285	14.6	2	0.4	0.6	73
4	85	21	15,310	14.6	.	.	.	0.1	3	103	0.1	.	.	4	0.3	12	23
4	85	21	15,340	14.6
4	85	21	15,340	14.6	2	0.2	10	13

CORRIDOR 4

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	15.350	14.6	.	.	.	0.1	2	93	0.1	.	.	5	0.5	25	93
4	85	21	15.400	14.6	.	.	.	0.1	2	93	0.1
4	85	21	15.420	14.6	.	.	.	0.4	1	23	0.5
4	85	21	15.460	14.7	.	.	.	0.1	3	13	0.1
4	85	21	15.460	14.7	5	0.1	19	93
4	85	21	15.525	14.8	2	0.25	11	93
4	85	21	15.530	14.9	3	0.5	18	43
4	85	21	15.560	15.0	3	0.75	17	93
4	85	21	15.620	15.0	.	.	.	0.1	2	68	0.1
4	85	21	15.625	15.0	.	.	.	0.1	1	43	0.1
4	85	21	15.645	15.0	.	.	.	0.1	1	43	0.1
4	85	21	15.660	15.0	.	.	.	0.1	2	43	0.1
4	85	21	15.675	15.0	.	.	.	0.25	2	43	0.25	.	.	2	0.1	13	83
4	85	21	15.685	15.1	.	.	.	0.1	0.1	.	138
4	85	21	15.740	15.1	.	.	.	0.1	0.1
4	85	21	15.750	15.1	4	0.25	14	53
4	85	21	15.765	15.1	.	.	.	0.1	5	83	0.1
4	85	21	15.805	15.2	.	.	.	0.1	2	13	0.1
4	85	21	15.810	15.2	.	.	.	0.5	7	53	0.5
4	85	21	15.840	15.2	7	0.4	20	63
4	85	21	15.900	15.2	5	0.75	17	83
4	85	21	15.985	15.2	.	.	.	0.6	3	53	0.5
4	85	21	15.995	15.3	2	0.6	0.6	113
4	85	21	16-17KM	15.8	215	6
4	85	21	16.010	15.8	.	.	.	0.1	3	53	0.1
4	85	21	16.030	15.8	2	0.25	0.4	53
4	85	21	16.030	15.8	.	.	.	0.1	5	83	0.1
4	85	21	16.030	15.8	.	.	.	0.1	5	93	0.1
4	85	21	16.035	15.8
4	85	21	16.040	15.8	16	0.5	85	48
4	85	21	16.070	15.8	.	.	.	0.1	17	93	0.4
4	85	21	16.130	15.9
4	85	21	16.130	15.9	36	0.6	180	83
4	85	21	16.310	15.9	12	0.2	50	43
4	85	21	16.350	15.9	35	0.1	235	73
4	85	21	16.585	16.0	24	0.45	160	53
4	85	21	16.610	16.0	4	0.25	12	83
4	85	21	16.665	16.1	6	0.25	27	53
4	85	21	16.730	16.1	11	0.25	50	33
4	85	21	16.770	16.2	.	.	.	0.25	2	43	0.25
4	85	21	16.775	16.3	5	0.4	17	73
4	85	21	16.800	16.4	6	0.3	14	33
4	85	21	16.825	16.4	.	.	.	0.25	4	23	0.25

CORRIDOR 4

CRDPR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	16.825	16.5	.	.	.	0.5	5	43	0.3	.	.	6	0.5	43	73
4	85	21	16.870	16.5	.	.	.	0.5	5	43	0.3
4	85	21	16.870	16.5	.	.	.	0.5	2	83	0.5	.	.	.	0.6	265	63
4	85	21	16.925	16.5	.	.	.	0.5	3	83	0.5
4	85	21	16.935	16.5	.	.	.	0.5	8	23	0.5
4	85	21	16.940	16.5	.	.	.	0.5	4	23	0.1
4	85	21	16.960	16.6	.	49	.	0.1	4	23	0.1
4	85	21	17-18KM	16.6	183	.	.	0.3	10	63	0.3
4	85	21	17.050	16.6	.	.	.	0.1	4	83	0.1
4	85	21	17.055	16.6	.	.	.	0.1	6	13	0.1
4	85	21	17.070	16.7	.	.	.	0.1	4	33	0.1	.	.	.	0.25	5	13
4	85	21	17.110	16.7	.	.	.	0.1	4	33	0.1	.	.	.	0.25	5	13
4	85	21	17.185	16.7	.	.	.	0.1	4	18	0.75	.	.	.	0.3	100	43
4	85	21	17.200	16.8	.	.	.	0.1	4	18	0.75	.	.	.	0.25	70	33
4	85	21	17.275	16.8	.	.	.	0.1	4	19	0.25	.	.	.	0.25	20	83
4	85	21	17.335	17.0	.	.	.	0.5	3	23	0.6
4	85	21	17.355	17.0	.	.	.	0.3	2	13	0.2	.	.	.	0.3	40	63
4	85	21	17.410	17.1	.	.	.	0.1	2	13	0.2	.	.	.	0.1	50	23
4	85	21	17.420	17.1	.	.	.	0.3	2	13	0.2	.	.	.	0.1	50	23
4	85	21	17.480	17.1	.	.	.	1.5	2	343	0.1	.	.	.	0.35	46	43
4	85	21	17.495	17.2	.	.	.	0.1	2	33	0.1
4	85	21	17.560	17.3	.	.	.	0.1	2	33	0.1
4	85	21	17.620	17.3	.	.	.	0.1	2	33	0.1
4	85	21	17.630	17.3	.	.	.	0.1	2	33	0.1
4	85	21	17.640	17.3	.	.	.	0.1	2	33	0.1
4	85	21	17.675	17.4	.	.	.	0.1	2	33	0.1
4	85	21	17.720	17.4	.	.	.	0.1	2	33	0.1
4	85	21	17.750	17.4	.	.	.	0.1	2	33	0.1
4	85	21	17.770	17.4	.	.	.	0.1	2	33	0.1
4	85	21	17.780	17.4	.	.	.	0.1	2	33	0.1
4	85	21	17.810	17.4	.	.	.	0.1	2	33	0.1
4	85	21	17.820	17.5	.	.	.	0.2	2	53	0.2	.	.	.	0.25	10	23
4	85	21	17.870	17.5	.	.	.	0.2	2	53	0.2	.	.	.	0.25	10	23
4	85	21	17.880	17.5	.	.	.	0.25	5	3	0.25	.	.	.	0.5	52	43
4	85	21	17.935	17.5	.	.	.	0.25	5	3	0.25	.	.	.	0.5	52	43
4	85	21	17.845	17.5	.	.	.	0.25	5	3	0.25	.	.	.	0.5	52	43
4	85	21	18-19KM	17.6	150	43
4	85	21	18.050	17.7
4	85	21	18.115	17.7
4	85	21	18.120	17.6	.	.	.	0.1	3	23	0.1	.	.	.	0.75	46	53

CORRIDOR 4

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	18.200	17.6	.	.	.	0.5	7	43	0.45
4	85	21	18.215	17.7	.	.	.	0.1	2	13	0.1
4	85	21	18.225	17.8	.	.	.	0.4	2	53	0.25	.	.	17	0.5	75	63
4	85	21	18.270	17.8	.	.	.	0.1	2	23	0.1
4	85	21	18.325	17.8	.	.	.	0.6	8	53	0.25
4	85	21	18.330	17.8
4	85	21	18.350	17.8	8	.	40	63
4	85	21	18.405	17.8	.	.	.	0.1	2	73	0.1
4	85	21	18.415	17.8	.	.	.	0.25	3	33	0.25
4	85	21	18.450	17.9	.	.	.	0.3	4	33	0.7
4	85	21	18.470	17.9	.	.	.	0.1	2	43	0.1
4	85	21	18.485	17.9	.	.	.	0.1	2	33	0.1
4	85	21	18.485	17.9	27	0.25	72	23
4	85	21	18.525	17.9	.	.	.	0.4	6	93	0.75
4	85	21	18.640	17.9	.	.	.	0.1	2	43	0.1
4	85	21	18.635	17.9	14	0.1	60	43
4	85	21	18.665	17.9	.	.	.	0.2	10	63	0.2
4	85	21	18.675	17.9	.	.	.	0.4	2	23	0.25
4	85	21	18.705	17.9	.	.	.	0.1	2	143	0.1
4	85	21	18.710	18.0	2	0.5	15	33
4	85	21	18.785	18.0	.	.	.	0.3	3	13	0.2
4	85	21	18.800	18.0	.	.	.	0.1	2	23	0.1
4	85	21	18.810	18.0	.	.	.	0.1	2	23	0.1
4	85	21	18.812	18.0	.	.	.	0.6	7	63	0.5
4	85	21	18.830	18.1	11	0.7	1	23
4	85	21	18.975	18.1	.	.	.	0.1	2	13	0.1
4	85	21	18.980	18.1	.	.	.	0.1	3	43	0.1
4	85	21	18.980	18.1	5	0.25	20	43
4	85	21	19-20KM	18.1	.	100
4	85	21	19.060	18.2	.	.	.	0.1	4	63	0.1
4	85	21	19.075	18.2	.	.	.	0.1	10	73	0.1
4	85	21	19.090	18.2	.	.	.	0.1	4	23	0.1
4	85	21	19.095	18.3	.	.	.	0.25	6	43	0.25
4	85	21	19.125	18.3	.	.	.	0.1	3	43	0.1
4	85	21	19.190	18.3	.	.	.	0.1	5	33	0.1
4	85	21	19.225	18.4	.	.	.	0.1	2	43	0.1
4	85	21	19.235	18.5	12	0.4	65	53
4	85	21	19.350	18.5	.	.	.	0.6	5	33	0.5	.	.	39	0.75	2	53
4	85	21	19.615	18.6	.	.	.	0.5	2	33	0.25
4	85	21	19.620	18.6	.	.	.	0.1	10	53	0.1
4	85	21	19.640	18.6

CORRIDOR 4

CRDR#	Year	T#	SEGDIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
4	85	21	19.710	18.6	.	.	.	0.1	3	73	0.1
4	85	21	19.730	18.6	.	.	.	0.1	1	43	0.1
4	85	21	19.755	18.6	.	.	.	0.1	2	43	0.1
4	85	21	19.765	18.6	5	0.1	15	63
4	85	21	19.800	18.6	.	.	.	0.4	2	53	0.25
4	85	21	19.830	18.6	.	.	.	0.1	4	53	0.1
4	85	21	19.835	18.6	.	.	.	0.1	8	43	0.1
4	85	21	19.865	18.6	.	.	.	0.5	6	73	0.4
4	85	21	19.905	18.6	3	0.1	10	43
4	85	21	19.950	18.6	.	.	.	0.1	1	53	0.1
4	85	21	19.965	18.7	.	.	.	0.25	2	43	0.25
4	85	21	19.980	18.7	.	.	.	0.1	2	53	0.1
4	85	21	20-21KM	18.7	81	78
4	85	21	20.040	18.7	.	.	.	0.1	4	13	0.4
4	85	21	20.060	18.7	.	.	.	0.1	1	83	0.1
4	85	21	20.075	18.7	.	.	.	0.1	6	23	0.1
4	85	21	20.090	18.7	.	.	.	0.1	7	33	0.1
4	85	21	20.120	18.7
4	85	21	20.160	18.7	.	.	.	0.1	6	0.3	0.1	20	23
4	85	21	20.180	18.7	73
4	85	21	20.215	18.7	.	.	.	0.5	4	83	0.5	40	73
4	85	21	20.420	18.8
4	85	21	20.470	18.8	.	.	.	0.1	2	43	0.1	.	.	3	0.4	17	63
4	85	21	20.485	18.8	.	.	.	0.1	2	63	0.1
4	85	21	20.520	18.8
4	85	21	20.590	18.8	.	.	.	0.1	3	33	0.1	.	.	4	0.3	20	33
4	85	21	20.625	18.8	.	.	.	0.1	1	43	0.1
4	85	21	20.670	18.8	.	.	.	0.1	1	43	0.1
4	85	21	20.680	18.8	.	.	.	0.1	3	33	0.1
4	85	21	20.685	18.8	.	.	.	0.1	4	53	0.1
4	85	21	20.730	18.8	.	.	.	0.1	7	53	0.1
4	85	21	20.735	18.9	6	0.3	35	63
4	85	21	20.810	18.9	6	0.1	18	33
4	85	21	20.860	18.9	9	0.1	22	43
4	85	21	20.925	18.9	.	.	.	0.1	1	33	0.1
4	85	21	20.940	18.9	.	.	.	0.1	3	43	0.1
4	85	21	20.960	19.0	.	.	.	0.3	4	33	0.25

CORRIDOR 5

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
5	80	25	AB/0	3.8	3	1
5	80	25	0.35	5.0	.	0	65	0.1	1	30	0.1
5	80	25	BC/1	9.2	0	0
5	80	25	CD/2	11.1	12	12
5	80	25	2.80	12.5	.	.	.	0.1	2	132	0.1
5	80	25	2.80	12.5	130
5	80	25	2.80	12.5	.	.	18	0.1	2	123	0.1
5	80	25	2.80	12.5
5	80	25	2.80	12.5
5	80	25	2.85	13.9	.	.	.	0.1	2	168	0.1
5	80	25	2.85	13.9	.	.	18	0.1	1	145	0.1
5	80	25	2.85	13.9	.	.	26	0.1	1	123	0.1
5	80	25	2.90	14.4	.	.	.	0.1	1	109	0.1
5	80	25	DE/3	14.5	12	12
5	80	25	3.05	14.6	25	16
5	80	25	EF/4	16.0
5	80	25	F/END	18.9
5	79	44	AB/0	3.9	9
5	79	44	BC/1	10.4	0
5	79	44	CD/2	12.3	38
5	79	44	DE/3	15.5	43
5	79	44	EF/4	16.7	81
5	79	44	F/END	19.8

CORRIDOR 6

CHDR#	Year	Tr#	SEG/DIST	Depth	TG	TNG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
6	79	77	AB/0
6	79	77	BC/1
6	79	77	CD/2
6	79	77	DE/3
6	79	77	EF/4	11.0	52
6	79	77	FG/5	12.7	17
6	79	77	GH/6	13.8	30
6	79	77	HI/7	14.7	29
6	79	77	IJ/8	16.1	9
6	79	77	JK/9	18.1	147
6	79	77	KL/10	19.8
6	79	77	LM/11	22.7
6	79	77	MN/12	23.6
6	79	77	NO/13	26.4
6	79	77	OP/14	27.2
6	79	77	PQ/15	27.6
6	79	77	QR/16	28.0
6	79	77	RS/17	29.3
6	79	77	ST/18	30.0
6	79	77	TU/19	30.3
6	79	77	U/END	31.4
6	80	24	AB/0	5.3	4
6	80	24	BC/1	8.0	26
6	80	24	CD/2	9.5	23
6	80	24	DE/3	10.1	21
6	80	24	EF/4	11.1	29	3
6	80	24	4.05	0.1	1	56	0.1
6	80	24	4.20	0.1	5	40	0.1
6	80	24	4.50	0.1	3	47	0.1
6	80	24	FG/5	12.0	34
6	80	24	GH/6	13.6	13	5
6	80	24	6.20	13.8	24
6	80	24	6.30	13.9	.	.	.	0.1	2	43	0.1
6	80	24	6.30	13.9	3	173
6	80	24	6.30	13.9	1	120	0.1
6	80	24	6.70	14.5	14	4	.	0.1
6	80	24	HI/7	14.5
6	80	24	7.45	15.0	175
6	80	24	7.65	15.1	.	.	.	0.1	2	41	0.1
6	80	24	7.70	15.3	2	21
6	80	24	V/END	15.9	355
6	80	24	AB/0	5.7	0	0
6	81	18	AB/0	5.7	0	0

CORRIDOR 6

CPDR#	Year	Tr#	SEG/DIST	Depth	TG	TNG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
6	81	18	BC/1	8.2	25	0
6	81	18	CD/2	9.6	25	2	.	.	1	43	0.1
6	81	18	2.70	10.1	.	.	.	0.1	1	43	0.1
6	81	18	2.85	10.3	.	.	.	0.1	1	35	0.1
6	81	18	DE/3	10.5	38	5
6	81	18	3.40	10.6	.	.	.	0.1	1	58	0.1
6	81	18	3.90	11.1	4	0.1	15	155
6	81	18	EF/4	11.2	36	1
6	81	18	4.50	11.8	2	4
6	81	18	FG/5	12.3	26	2
6	81	18	5.35	12.9	.	.	.	0.1	2	47	0.1
6	81	18	5.65	13.3	.	.	.	0.1	1	13	0.1
6	81	18	GH/6	13.5	16	0
6	81	18	HI/7	14.5	14	0
6	81	18	I/END	15.8
6	82	6	AB/0	5.3	4	1
6	82	6	0.80	7.5	.	.	.	0.1	2	27	0.1
6	82	6	BC/1	7.8	46	5
6	82	6	1.55	8.2	.	.	.	0.7	2	37	0.3
6	82	6	1.90	8.6	.	.	.	0.1	2	38	0.1
6	82	6	1.90	8.6	3	0.1	10	8
6	82	6	CD/2	9.3	54	1
6	82	6	2.45	9.6	.	.	.	0.5	3	18	0.4
6	82	6	DE/3	10.0	36	0
6	82	6	EF/4	11.0	51	1
6	82	6	4.25	11.0	5	23	.	51
6	82	6	FG/5	11.8	55	18
6	82	6	5.10	11.6
6	82	6	5.75	12.6	.	.	.	0.1	5	13	0.1	.	30	8	0.1	40	6
6	82	6	5.85	12.7	.	.	17	0.1	5	13	0.1
6	82	6	5.90	12.9	.	.	.	0.1	2	32	0.1	.	37	7	0.1	32	4
6	82	6	GH/6	13.5	20	1
6	82	6	6.95	14.5	1	166
6	82	6	HI/7	14.7	10	1
6	82	6	7.01	14.7	.	.	.	0.1	4	166	0.1
6	82	6	IJ/8	15.5	11	1
6	82	6	8.50	15.8	.	.	.	0.1	5	147	0.1	355
6	82	6	JK/9	16.2	126	15
6	82	6	9.70	17.9	15	.	57	158
6	82	6	KL/10	19.3	132	15	10	.
6	82	6	10.15	20.2	4	.	10	18

CORRIDOR 6

CRDR#	Year	Tr #	SEG/DIST	Depth	TG	TNG	SGL	SGD	SGW	SGO	SMPH	DIM	MGL	MG#	MGD	MGW	MGO
6	82	6	10.15	20.2	5	36
6	82	6	10.25	20.0	3	19	.	.	.	8	.	33	167
6	82	6	10.40	20.2	3	19
6	82	6	10.90	21.6	.	.	.	0.2	2	52	0.1
6	82	6	LM/11	21.7	125
6	82	6	MN/12	23.2	133	6
6	82	6	12.10	23.3	4	0.2	17	55
6	82	6	12.35	23.8	2	0.1	8	137
6	82	6	NO/13	25.2	85
6	82	6	OP/14	26.0	84
6	82	6	PO/15	26.5	98	1
6	82	6	15.35	27.2	.	.	37	.	5
6	82	6	O/END	27.4

CORRIDOR 7

CRDR #	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
7	81	15	AB/0	6.4	65
7	81	15	BC/1	7.6	33
7	81	15	CD/2	8.2	65
7	81	15	DE/3	8.5	72
7	81	15	EF/4	9.3	38
7	81	15	FG/5	10.0	37
7	81	15	GH/6	10.7	66
7	81	15	HI/7	11.6	72
7	81	15	IJ/8	12.3	52
7	81	15	JK/9	13.3	38
7	81	15	KL/10	14.2	36
7	81	15	LM/11	14.5	82
7	81	15	MN/12	16.3	120
7	81	15	NO/13	16.8	138
7	81	15	OP/14	18.0	129
7	81	15	PQ/15	19.0	114
7	81	15	QR/16	19.8	96
7	81	15	P/END	20.7
7	82	8	AB/0	5.5	74	2
7	82	8	0.50	6.3	.	.	.	0.1	2	120	0.1
7	82	8	0.55	6.4	.	.	.	0.1	1	112	0.1
7	82	8	BC/1	6.7	40	2
7	82	8	1.01	6.7	.	.	.	0.1	5	127	0.1
7	82	8	1.80	7.0	.	.	50	.	2	147
7	82	8	CD/2	7.1	42	2
7	82	8	2.55	7.3	.	.	.	0.1	1	145	0.1
7	82	8	2.70	7.3	.	.	.	0.1	2	138	0.1
7	82	8	DE/3	7.4	79	7
7	82	8	3.01	7.4	.	.	55
7	82	8	3.01	7.4	.	.	.	0.1	1	158	0.1
7	82	8	3.01	7.4	.	.	.	0.1	1	91	0.1
7	82	8	3.05	7.5	.	.	.	0.1	2	130	0.1
7	82	8	3.10	7.5	.	.	.	0.1	3	91	0.1
7	82	8	3.40	7.7	.	.	.	0.1	1	49	0.1
7	82	8	3.95	8.2
7	82	8	EF/4	8.2	44	2
7	82	8	4.40	8.5	.	.	.	0.1	2	60	0.1
7	82	8	4.45	8.5	2	52
7	82	8	FG/5	9.0	68	15
7	82	8	5.25	9.1
7	82	8	5.30	9.1
7	82	8	5.40	9.2	.	.	.	0.1	2	58	0.1

CORRIDOR 7

CRDR #	Year	Tr #	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
7	82	8	5.40	9.2	.	.	.	0.1	1	75	0.1
7	82	8	5.40	9.2	.	.	.	0.1	2	26	0.1	.	.	2	0.1	11	120
7	82	8	5.45	9.2
7	82	8	5.50	9.3	3	22	.	170
7	82	8	5.55	9.3	.	.	.	0.1	1	45	0.1
7	82	8	5.60	9.3	.	.	.	0.2	3	70	0.3
7	82	8	5.80	9.4	2	62
7	82	8	5.99	9.5	1	156	.	13
7	82	8	GH/6	9.5	56	8	.	.	1	13
7	82	8	6.01	9.5	1	167	0.1
7	82	8	6.20	9.6	.	.	.	0.1	2	50	0.1	130
7	82	8	6.35	9.8	.	.	.	0.1	1	15	0.1
7	82	8	6.50	9.9	.	.	.	0.1	1	23	0.1
7	82	8	6.55	9.9	.	.	.	0.1	1	14	0.1	194
7	82	8	6.70	10.0	.	.	.	0.1	1	127	0.1
7	82	8	6.75	10.0	.	.	.	0.1	2	2	0.2	19	72
7	82	8	6.95	10.2	2	0.2	17	76
7	82	8	HI/7	10.2	79	8	2	0.3	13	73
7	82	8	7.05	10.2
7	82	8	7.15	10.3
7	82	8	7.20	10.4	.	.	.	0.1	1	50	0.1
7	82	8	7.30	10.4	.	.	.	0.1	2	48	0.1	130
7	82	8	7.35	10.4	.	.	.	0.1	3	113	0.1
7	82	8	7.35	10.4	.	.	.	0.1	2	78	0.1
7	82	8	LJ/8	10.8	40	4
7	82	8	8.50	11.3	.	.	130	0.1	1	169	0.1
7	82	8	8.80	11.5	52	2	.	10	0
7	82	8	8.95	11.7	.	.	.	0.1	2	95	0.1
7	82	8	JK/9	11.7	47	9
7	82	8	9.25	12.0	.	.	.	0.1	2	58	0.1
7	82	8	9.40	12.1	.	.	.	0.1	2	62	0.1
7	82	8	9.55	12.3	.	.	.	0.1	1	26	0.1
7	82	8	9.70	12.3	3	0.1	23	118
7	82	8	9.99	12.5	.	.	.	0.1	2	143	0.1
7	82	8	9.99	12.5	.	.	.	0.1	3	146	0.1
7	82	8	9.99	12.5	2	9
7	82	8	KL/10	12.5	56	14
7	82	8	10.01	12.5	.	.	.	0.1	2	143	0.1
7	82	8	10.01	12.5	.	.	.	0.1	3	146	0.1
7	82	8	10.01	12.5	2	9
7	82	8	10.45	12.7	.	.	.	0.1	2	66	0.1

CORRIDOR 7

CRDR #	Year	Tr #	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
7	82	8	10.50	12.7	.	.	.	0.2	2	35	0.1
7	82	8	10.65	12.8	24
7	82	8	10.90	12.8	3	22	.	167	24
7	82	8	10.90	12.8	2
7	82	8	10.95	12.9	.	.	.	0.1	1	167	0.1
7	82	8	10.99	13.0	.	.	.	0.1	1	161	0.1
7	82	8	10.99	13.0	1	163
7	82	8	10.99	13.0	2	165
7	82	8	LM/11	13.0	82	23
7	82	8	11.01	13.0	2	165
7	82	8	11.05	13.0	.	.	.	0.1	1	6	0.1
7	82	8	11.05	13.0	.	.	62	0.1	2	20	0.1
7	82	8	11.10	13.0	.	.	.	0.1	2	6	0.1
7	82	8	11.10	13.0	.	.	.	0.1	1	120	0.1
7	82	8	11.15	13.0	.	.	.	0.1	2	27	0.1
7	82	8	11.15	13.1	.	.	.	0.1	2	171	0.1
7	82	8	11.15	13.1
7	82	8	11.15	13.1	3	172	.	.	.	2	0.1	5	164
7	82	8	11.15	13.1	3	178	0.1
7	82	8	11.15	13.1	.	.	65	0.1	1	158
7	82	8	11.15	13.1	.	.	68	.	3	158
7	82	8	11.20	13.2	2	0.1	11	7
7	82	8	11.25	13.3	.	.	.	0.1	2	148	0.1
7	82	8	11.55	13.8	.	.	.	0.1	1	178	0.1
7	82	8	11.55	13.8	.	.	.	0.1	1	178	0.1
7	82	8	11.75	14.0	.	.	.	0.1	2	140	0.1
7	82	8	11.99	14.3	2	164	.	344
7	82	8	11.99	14.3	3	162	.	342
7	82	8	11.99	14.3	3	162
7	82	8	11.99	14.3	342
7	82	8	MN/12	14.3	156	15	2	0.1	8	135
7	82	8	12.01	14.3	3	162
7	82	8	12.01	14.3	3	162
7	82	8	12.01	14.3	3	162
7	82	8	12.01	14.3	2	0.1	8	135
7	82	8	12.30	14.3	3	0.3	16	120
7	82	8	12.50	14.5	.	.	.	0.2	3	91	0.1
7	82	8	12.70	14.6	3	15	.	195
7	82	8	12.70	14.6	.	.	.	0.2	4	87	0.1
7	82	8	12.85	14.8	.	.	.	0.1	2	131	0.1
7	82	8	12.90	14.7
7	82	8	12.99	15.0	.	.	.	0.1	2	138	0.1	.	.	3	0.2	22	135
7	82	8	NO/13	15.0	141	9

CORRIDOR 7

CRDR #	Year	Tr #	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
7	82	8	13.01	15.0	.	.	.	0.1	2	138	0.1
7	82	8	13.05	15.0	.	.	.	0.1	2	139	0.1
7	82	8	13.05	15.0	.	.	.	0.1	2	145	0.1
7	82	8	13.15	14.8	.	.	.	0.2	3	109	0.4
7	82	8	13.25	15.2	.	.	.	0.1	3	130	0.2
7	82	8	13.30	15.3	.	.	50	.	4	105	.	105
7	82	8	13.35	15.3	.	.	.	0.1	2	153	0.1
7	82	8	13.35	15.3	.	.	.	0.1	2	148	0.1
7	82	8	13.55	15.5	.	.	.	0.2	2	125	0.1
7	82	8	OP/14	15.9	120	18
7	82	8	14.05	15.8	2	0.2	8	120
7	82	8	14.10	15.9	.	.	.	0.2	1	105	0.2
7	82	8	14.10	15.9	.	.	.	0.5	2	125	0.2
7	82	8	14.20	16.0	.	.	.	0.4	5	95	0.1
7	82	8	14.20	16.0	2	130
7	82	8	14.25	16.1	.	.	.	0.3	1	111	0.1
7	82	8	14.25	16.1	2	0.2	7	118
7	82	8	14.25	16.1	.	.	.	0.2	2	125	0.3
7	82	8	14.25	16.1	.	.	.	0.2	2	108	0.2
7	82	8	14.30	16.2	2	0.2	22	130
7	82	8	14.45	16.2	.	.	.	0.5	3	118	0.4
7	82	8	14.55	16.3	.	.	.	0.5	3	106	0.1
7	82	8	14.60	16.3	.	.	.	0.7	5	103	0.4
7	82	8	14.75	16.6	2	0.2	25	73
7	82	8	PQ/15	16.8	103	12
7	82	8	15.05	16.9	.	.	.	0.3	4	94	0.2
7	82	8	15.15	16.9	.	.	.	0.1	3	96	0.1
7	82	8	15.15	16.9	.	.	.	0.1	3	88	0.1
7	82	8	15.20	17.0	.	.	.	0.2	5	92	0.3
7	82	8	15.20	17.0	.	.	.	0.1	3	121	0.1
7	82	8	15.30	17.1	2	0.4	30	95
7	82	8	15.35	17.2	.	.	.	0.1	2	62	0.1
7	82	8	15.40	17.3	.	.	.	0.1	3	94	0.1
7	82	8	15.45	17.3	2	175
7	82	8	15.50	17.3	.	.	15	.	2	162
7	82	8	15.50	17.3	.	.	12	.	2	158
7	82	8	QR/16	17.7	85	1
7	82	8	16.75	18.5	.	.	.	0.1	2	46	0.1
7	82	8	REND	18.6

CORRIDOR 8

CRDR #	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
8	81	16	AB/0	7.6	0
8	81	16	BC/1	11.4	0
8	81	16	CD/2	11.4	4
8	81	16	DE/3	15.2	61
8	81	16	EF/4	17.2	56
8	81	16	FG/5	20.1	81
8	81	16	GH/6	21.1	141
8	81	16	HI/7	22.5	159
8	81	16	IJ/8	24.5	133
8	81	16	JK/9	26.5	121
8	81	16	KL/10	27.9	130
8	81	16	LM/11	28.0	109
8	81	16	MN/12	28.5	104
8	81	16	NO/13	29.5	115
8	81	16	OP/14	29.9	175
8	81	16	PQ/15	30.9	121
8	81	16	Q/END	31.7
8	82	7	AB/0	7.1	0	0
8	82	7	BC/1	10.6	0	0
8	82	7	CD/2	11.9	16	12
8	82	7	DE/3	12.3
8	82	7	EF/4	12.3
8	82	7	FG/5	12.3
8	82	7	GH/6	12.3
8	82	7	HI/7	12.3
8	82	7	IJ/8	12.3
8	82	7	JK/9	12.8
8	82	7	KL/10	12.8
8	82	7	LM/11	14.0
8	82	7	MN/12	14.0
8	82	7	NO/13	14.1	60	1
8	82	7	OP/14	14.1	60	1
8	82	7	PQ/15	14.5
8	82	7	Q/END	16.8	69	12
8	82	7	AB/0	17.8
8	82	7	BC/1	17.8
8	82	7	CD/2	17.9
8	82	7	DE/3	17.9
8	82	7	EF/4	18.8
8	82	7	FG/5	18.8
8	82	7	GH/6	19.8	63	2
8	82	7	HI/7	19.8	63	2
8	82	7	IJ/8	20.5
8	82	7	JK/9	20.5	127	2
8	82	7	KL/10	20.5
8	82	7	LM/11	20.5
8	82	7	MN/12	21.5
8	82	7	NO/13	21.5
8	82	7	OP/14	21.5
8	82	7	PQ/15	21.5
8	82	7	Q/END	22.5	167	4
8	82	7	AB/0	22.5
8	82	7	BC/1	22.5
8	82	7	CD/2	22.5
8	82	7	DE/3	22.5
8	82	7	EF/4	22.5
8	82	7	FG/5	22.5
8	82	7	GH/6	22.5
8	82	7	HI/7	22.5
8	82	7	IJ/8	22.5
8	82	7	JK/9	22.5
8	82	7	KL/10	22.5
8	82	7	LM/11	22.5
8	82	7	MN/12	23.2
8	82	7	NO/13	23.2

CORRIDOR 8

CRDR #	Year	Tr #	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
8	82	7	7.65	23.4	.	.	.	0.1	2	45	0.1
8	82	7	7.75	23.2	.	.	.	0.3	2	115	0.1
8	82	7	IJ/8	24.3	130	1	.	.	3	5
8	82	7	8.99	25.8	3	5
8	82	7	JK/9	25.8	129	5	.	.	3	5
8	82	7	9.01	25.8
8	82	7	9.40	26.2
8	82	7	KL/10	27.0	116	0.8	25	126
8	82	7	L/END	27.7

CORRIDOR 9

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	78	8	AB/0	5.8	10
9	78	8	BC/1	8.0	16
9	78	8	CD/2	8.8	52
9	78	8	DE/3	9.7	42
9	78	8	EF/4	10.5	114
9	78	8	FG/5	11.1	105
9	78	8	GH/6	12.4	96
9	78	8	HI/7	12.5	129
9	78	8	IJ/8	13.1	160
9	78	8	JK/9	13.9	133
9	78	8	KL/10	13.9	139
9	78	8	LM/11	15.1	136
9	78	8	MN/12	15.9	110
9	78	8	NO/13	16.9	145
9	78	8	OP/14	18.0	132
9	78	8	PQ/15	18.5	158
9	78	8	QR/16	18.7	125
9	78	8	R/END	19.1
9	82	1	AB/0	6.0	7	7
9	82	1		6.1	.	.	.	0.1	5	151	0.1
9	82	1		6.7	.	.	.	0.1	1	145	0.1
9	82	1		6.7	.	.	.	0.1	2	145	0.1
9	82	1		6.9	.	.	25	0.1	2	173	0.1
9	82	1		6.3	.	.	17	0.1	2	10	0.1
9	82	1		6.3	.	.	8	0.1	1	20	0.1
9	82	1		7.1	.	.	30	0.1	2	165	0.1
9	82	1	BC/1	7.7	10	10	.	0.3	4	111	0.2
9	82	1		7.9	.	.	.	0.1	2	65	0.1
9	82	1		8.0	.	.	10	0.1	2	65	0.1
9	82	1		8.0	.	.	.	0.1	1	40	0.1
9	82	1		8.2	.	.	.	0.1	2	90	0.1
9	82	1		8.4	.	.	.	0.2	2	90	0.1
9	82	1		8.5
9	82	1	CD/2	8.5	16	16	2	.	.	178
9	82	1		8.5	.	.	.	0.3	4	90	0.4
9	82	1		8.5	.	.	.	0.2	3	57	0.1
9	82	1		8.6	4	168
9	82	1		8.7	.	.	.	0.1	2	42	0.1
9	82	1		8.7	.	.	.	0.1	2	93	0.1
9	82	1		8.7

CORRIDOR 9

CRIDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	82	1	2.20	8.7	.	.	.	0.1	2	42	0.1
9	82	1	2.60	9.0	3	11
9	8	1	2.60	9.0	5	87
9	82	1	2.65	9.0	5	0.2	.	202
9	82	1	2.80	9.2	.	.	.	0.1	2	139	0.1
9	82	1	2.80	9.2	.	.	.	0.1	2	78	0.1
9	82	1	2.85	9.2	8	12	.	212
9	82	1	2.99	9.3	.	.	.	0.3	6	15	0.2
9	82	1	2.99	9.3	3	17
9	82	1	DE/3	9.3	1	1
9	82	1	3.01	9.3	.	.	.	0.3	10	15	0.2
9	82	1	EF/4	10.0	10	7
9	82	1	4.20	10.2	.	.	.	0.3	5	1	0.2
9	82	1	4.25	10.2	7	170
9	82	1	4.35	10.3	.	.	.	0.5	7	46	0.5
9	82	1	4.65	10.5	5	95
9	82	1	4.75	10.7	.	.	.	0.6	6	62	0.6
9	82	1	4.99	10.8	2	0.1	11	15
9	82	1	FG/5	10.9	9	5
9	82	1	5.01	10.9	2	0.1	11	15
9	82	1	5.40	11.0	.	.	.	0.1	12	109	0.1
9	82	1	5.75	11.4	.	.	.	0.5	5	59	0.3
9	82	1	5.99	11.7	.	.	.	1.1	15	17	0.9
9	82	1	GH/6	11.8	30	23
9	82	1	6.01	11.8	.	.	.	1.1	15	17	0.9
9	82	1	6.10	12.0	2	0.1	10	62
9	82	1	6.40	11.9	2	.	13	20
9	82	1	6.40	11.9	5	60
9	82	1	6.50	12.1	250
9	82	1	6.55	12.0	6	0.9	47	50
9	82	1	6.70	12.1	6	0.6	30	56
9	82	1	6.70	12.1	5	.	34	49
9	82	1	HI/7	12.4	19	18
9	82	1	7.15	12.5	.	.	.	0.4	5	128	0.2
9	82	1	7.20	12.5	5	62
9	82	1	7.40	12.6	5	38
9	82	1	7.45	12.6	8	111
9	82	1	7.50	12.6	6	.	37	39
9	82	1	7.55	12.8	7	126
9	82	1	7.70	12.8	25	18
9	82	1	7.80	13.0	218	.	4	0.7	28	27
9	82	1	7.99	13.0	227	.	2	.	13	24

CORRIDOR 9

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	82	1	I/J/8	13.0	13	12
9	82	1	8.01	13.0	2	.	13	24
9	82	1	8.25	13.1	253	.	3	.	25	53
9	82	1	8.45	13.2	12	64	.	.	.	2	0.7	24	67
9	82	1	8.50	13.1	73	0.1
9	82	1	8.55	13.2	.	.	.	0.5	6	43	0.2
9	82	1	8.80	13.5	.	.	.	0.3	8	43
9	82	1	8.90	13.3	2	0.9	37	62
9	82	1	JK/9	13.5	9	2
9	82	1	9.35	14.0	5	43
9	82	1	9.80	13.5	13	171
9	82	1	KL/10	14.0	16	11
9	82	1	10.40	14.4	3	0.1	23	46
9	82	1	10.50	14.3	.	.	.	0.2	6	140	0.2
9	82	1	10.65	14.4	2	0.1	17	62
9	82	1	10.80	14.4	5	0.1	35	4
9	82	1	LM/11	14.6	13	4
9	82	1	11.15	14.7	8	90
9	82	1	11.70	15.1	12	86
9	82	1	11.85	15.4	222	.	2	.	18	22
9	82	1	MN/12	15.4	17	7
9	82	1	12.15	15.4	12	30
9	82	1	12.15	15.4	11	41
9	82	1	12.70	15.7	6
9	82	1	12.85	16.0	13	54
9	82	1	12.95	16.2	3	.	19	40
9	82	1	NO/13	16.2	20	12
9	82	1	13.05	16.1	5	73
9	82	1	13.15	16.0	8	93
9	82	1	13.20	16.1	8	60
9	82	1	13.60	16.6	4	.	42	57
9	82	1	13.65	16.7	2	.	12	.
9	82	1	13.90	16.8	5	65
9	82	1	13.90	16.8	9	29
9	82	1	13.99	17.0	7	127
9	82	1	OP/14	17.0	26	16
9	82	1	14.01	17.0	9	29
9	82	1	14.01	17.0	7	127
9	82	1	14.01	17.0	2	.	12	0
9	82	1	14.15	17.1	10	81
9	82	1	14.20	17.1	7	82

CORRIDOR 9

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMFH	DIM	MGL	MG#	MGD	MGW	MGO
9	82	1	14.20	17.1	5	7	.	.	.	2	.	8	128
9	82	1	14.25	17.2	10	77
9	82	1	14.30	17.2
9	82	1	14.60	17.4	5	.	53	51
9	82	1	14.85	17.5	7	162
9	82	1	PQ/15	18.2	12	7
9	82	1	15.20	18.2	5	58
9	82	1	15.50	18.4	11	105
9	82	1	15.55	18.3	13	125
9	82	1	15.75	18.6	8	173
9	82	1	15.85	18.5	15	177
9	82	1	15.90	18.6	8	84
9	82	1	15.95	18.7	9	88
9	82	1	Q/END	18.7
9	85	6	3-4KM	7.7	24	24
9	85	6	3.13	7.7	.	.	.	0.1	6	30	0.1
9	85	6	3.17	7.7	.	.	.	0.1	6	350	0.1
9	85	6	3.18	7.7	.	.	20	0.1	5	50	0.1
9	85	6	3.19	7.7	.	.	.	0.1	4	20	0.1
9	85	6	3.23	7.8	.	.	.	0.1	4	30	0.2
9	85	6	3.33	7.8	.	.	.	0.1	2	90	0.1
9	85	6	3.35	7.8	.	.	.	0.1	4	70	0.1
9	85	6	3.38	7.9	.	.	.	0.1	9	20	0.1
9	85	6	3.40	7.9	.	.	.	0.5	5	50	0.3
9	85	6	3.48	7.9	.	.	.	0.1	2	100	0.1
9	85	6	3.49	8.0	.	.	.	0.1	6	100	0.1
9	85	6	3.56	8.0	.	.	.	0.1	3	80	0.1
9	85	6	3.63	8.1	.	.	.	0.1	7	30	0.1
9	85	6	3.68	8.2	.	.	.	0.1	1	20	0.1
9	85	6	3.68	8.2	.	.	.	0.1	2	130	0.1
9	85	6	3.69	8.2	.	.	.	0.1	1	100	0.1
9	85	6	3.71	8.3	.	.	.	0.1	11	30	0.1
9	85	6	3.82	8.4	.	.	.	0.1	2	60	0.1
9	85	6	3.83	8.4	.	.	.	0.1	2	40	0.1
9	85	6	3.90	8.5	.	.	.	0.1	6	50	0.1
9	85	6	3.91	8.5	.	.	.	0.1	2	100	0.1
9	85	6	3.95	8.5	.	.	.	0.1	2	110	0.1
9	85	6	3.95	8.5	.	.	.	0.3	14	40	0.1
9	85	6	3.96	8.5	.	.	.	0.1	2	130	0.1
9	85	6	4-5KM	8.5	45	45
9	85	6	4.06	8.5	.	.	.	0.1	4	130	0.1

CORRIDOR 9

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	4.12	8.5	.	.	.	0.1	5	70	0.2
9	85	6	4.13	8.6	.	.	.	0.25	4	60	0.2
9	85	6	4.06	8.6	.	.	.	0.1	4	---	0.1
9	85	6	4.00	8.7	.	.	.	0.1	5	---	0.1
9	85	6	4.23	8.7	.	.	40	0.1	3	20	0.1
9	85	6	4.24	8.7	.	.	.	0.5	1	90	0.3
9	85	6	4.24	8.7	.	.	.	0.5	1	60	0.3
9	85	6	4.24	8.7	40	4	0.1	8	20
9	85	6	4.27	8.7	5	0.1	12	20
9	85	6	4.29	8.7	.	.	.	0.6	3	.	0.4
9	85	6	4.32	8.7	.	.	.	0.1	0.5	50	0.1
9	85	6	4.37	8.8	.	.	.	0.5	3	80	0.2
9	85	6	4.38	8.8	.	.	.	0.1	2	100	0.1
9	85	6	4.39	8.8	.	.	.	0.1	5	30	0.1
9	85	6	4.40	8.8
9	85	6	4.43	8.9	.	.	.	0.6	4	20	0.3	.	.	4	0.1	6	110
9	85	6	4.45	8.9	.	.	.	0.1	7	50	0.1
9	85	6	4.46	8.9	.	.	.	0.1	3	100	0.1
9	85	6	4.55	8.9	.	.	23	0.3	12	20	0.3
9	85	6	4.58	9.0	.	.	.	0.2	1	100	0.35
9	85	6	4.58	9.0	.	.	.	0.2	1	50	0.2
9	85	6	4.60	9.0	.	.	.	0.2	1	90	0.2
9	85	6	4.62	9.0	2	0.1	7	110
9	85	6	4.76	9.1	2	0.1	5	20
9	85	6	4.82	9.2	.	.	.	0.1	3	50	0.1
9	85	6	4.80	9.2	.	.	.	0.1	3	0.5	0.1
9	85	6	4.89	9.2	.	.	.	0.4	2	30	0.4
9	85	6	4.90	9.2	.	.	.	0.3	7	50	0.25
9	85	6	4.85	9.3	.	.	.	0.1	1	150	0.1
9	85	6	4.98	9.3	.	.	20	0.1	5	120	0.1
9	85	6	5.00	9.3	2	0.4	7	1
9	85	6	5.6KM	9.3	21	21
9	85	6	5.01	9.3	.	.	.	0.1	2	30	0.1
9	85	6	5.09	9.3	.	.	.	0.1	1	70	0.1
9	85	6	5.17	9.3	.	.	.	0.1	3	20	0.1
9	85	6	5.18	9.4	.	.	.	0.1	2	60	0.1
9	85	6	5.24	9.4	.	.	.	0.3	4	20	0.3
9	85	6	5.28	9.4	.	.	.	0.1	3	110	0.1
9	85	6	5.32	9.5	.	.	.	0.1	1	140	0.1
9	85	6	5.33	9.5	.	.	.	0.1	2	60	0.1
9	85	6	5.43	9.5	.	.	.	0.1	2	40	0.1

CORRIDOR 9

CPDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	5.59	9.6	.	.	.	0.1	1	80	0.1
9	85	6	5.73	9.6	.	.	.	0.1	1	80	0.1
9	85	6	5.74	9.6	.	.	.	0.1	1	60	0.1
9	85	6	5.78	9.6	.	.	.	0.1	2	40	0.1
9	85	6	5.80	9.7	.	.	.	0.1	1	60	0.1
9	85	6	5.82	9.7	.	.	.	0.4	1	60	0.3
9	85	6	5.85	9.8	.	.	.	0.1	--	40	0.1	.	.	2	.	7	40
9	85	6	5.86	9.8	.	.	.	0.1	4	120	0.1
9	85	6	5.92	9.9	.	.	.	0.1	2	40	0.1
9	85	6	5.98	9.9	.	.	.	0.25	1	90	0.2
9	85	6	5.99	10.0	.	.	.	0.4	3	60	0.5
9	85	6	6-7KM	10.0	127	44
9	85	6	6.01	10.0	.	.	.	0.1	2	80	0.1
9	85	6	6.04	10.0	.	.	.	0.1	2	70	0.1
9	85	6	6.07	10.1	.	.	.	0.25	1	70	0.4
9	85	6	6.18	10.2	.	.	.	0.1	4	30	0.1
9	85	6	6.19	10.2	.	.	.	0.1	1	100	0.1
9	85	6	6.30	10.2	.	.	.	0.2	1	50	0.3
9	85	6	6.35	10.3	2	0.3	8	70
9	85	6	6.40	10.3	3	0.2	11	40
9	85	6	6.45	10.3	.	.	.	0.1	5	90	0.1
9	85	6	6.51	10.4	.	.	.	0.4	1	80	0.5
9	85	6	6.59	10.4	50	8	0.2	20	.
9	85	6	6.59	10.4	1	100	0.2
9	85	6	6.61	10.5	.	.	.	0.2	3	100	0.2
9	85	6	6.62	10.5	.	.	.	0.2	1	100	0.2
9	85	6	6.63	10.5	.	.	.	0.2	3	100	0.2
9	85	6	6.64	10.5	.	.	.	0.2	1	100	0.2
9	85	6	6.66	10.5	.	.	.	0.1	2	100	0.1
9	85	6	6.71	10.6	.	.	.	0.1	3	100	0.1
9	85	6	6.62	10.5	.	.	.	0.1	1	30	0.1
9	85	6	6.67	10.5	.	.	.	0.1	1	30	0.1
9	85	6	6.68	10.6	.	.	.	0.1	1	30	0.1
9	85	6	6.69	10.6	.	.	.	0.3	1	30	0.3
9	85	6	6.71	10.6	.	.	.	0.3	1	30	0.2
9	85	6	6.73	10.7	.	.	.	0.1	2	50	0.1
9	85	6	6.80	10.7	.	.	.	0.1	2	70	0.1
9	85	6	6.86	10.7	5	0.2	12	40
9	85	6	6.89	10.7	.	.	.	0.1	1	50	0.1
9	85	6	6.89	10.8	.	.	.	0.1	2	100	0.1
9	85	6	6.96	10.8	.	.	.	0.1	3	40	0.1

CORRIDOR 9

CRDR#	Year	T#	SEGDIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	7.00	10.8	.	.	.	0.1	3	40	0.1
9	85	6	7.8KM	10.9	88	43	.	0.1	4	60	0.1
9	85	6	7.03	10.9	.	.	.	0.25	1	30	0.25
9	85	6	7.13	10.9	.	.	.	0.1	1	100	0.1
9	85	6	7.58	11.3	.	.	.	0.4	2	80	0.3
9	85	6	7.59	11.3	.	.	.	0.2	4	70	0.25
9	85	6	7.68	11.3	.	.	.	0.3	4	40	0.2
9	85	6	7.74	11.4	.	.	.	0.4	2	40	0.35
9	85	6	7.76	11.4	.	.	.	0.25	2	60	0.3
9	85	6	7.78	11.4	.	.	.	0.2	1	40	0.2
9	85	6	7.82	11.5	.	.	.	0.3	1	60	0.4
9	85	6	7.84	11.6	.	.	.	0.1	4	70	0.1
9	85	6	7.87	11.6	.	.	.	0.1	4	80	0.1
9	85	6	7.68	11.5	.	.	.	0.1	2	---	0.1
9	85	6	7.92	11.7	.	.	.	0.1	2	110	0.1
9	85	6	7.93	11.7	.	.	.	0.1	1	40	0.1
9	85	6	7.95	11.7	.	.	.	0.2	1	355	0.2
9	85	6	7.99	11.7	.	.	.	0.1	3	80	0.1
9	85	6	8.00	11.7	.	.	100	0.1	1	---	0.1
9	85	6	8.9KM	11.8	154	94
9	85	6	8.01	11.8	.	.	.	0.1	0.5	50	0.1
9	85	6	8.02	11.8	.	.	.	0.1	0.5	50	0.1
9	85	6	8.04	11.8	.	.	.	0.1	0.5	30	0.1
9	85	6	8.06	11.8	.	.	.	0.3	3	40	0.3
9	85	6	8.09	11.9	.	.	.	0.3	2	65	0.5
9	85	6	8.09	12.0	.	.	.	0.2	3	70	0.2
9	85	6	8.10	12.0	.	.	.	0.2	3	70	0.2
9	85	6	8.18	12.0	110
9	85	6	8.19	12.0	10
9	85	6	8.23	12.0	.	.	.	0.2	3	30	0.2
9	85	6	8.27	12.0	.	.	.	0.2	1	60	0.2
9	85	6	8.35	11.9
9	85	6	8.39	11.9	.	.	.	0.3	1	80	0.3	80
9	85	6	8.48	12.0	.	.	.	0.35	5	80	0.5
9	85	6	8.50	12.1
9	85	6	8.50	12.0	1	130	0.1	140
9	85	6	8.53	12.0	.	.	.	0.1	1	90	0.1
9	85	6	8.58	12.0	.	.	.	0.1	1	90	0.1
9	85	6	8.58	12.0	.	.	.	0.6	3	70	0.9
9	85	6	8.61	12.0	.	.	.	0.25	2	90	0.3

CORRIDOR 9

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	8.68	12.1	.	.	.	0.1	3	40	0.1
9	85	6	8.70	12.1	.	.	.	0.25	3	100	0.3
9	85	6	8.74	12.1	.	.	.	0.2	4	60	0.2
9	85	6	8.76	12.1	.	.	.	0.2	1	50	0.3
9	85	6	8.78	12.2	.	.	.	0.1	4	80	0.1
9	85	6	8.70	12.2	5	0.1	15	150
9	85	6	8.82	12.3	3	0.2	7	90
9	85	6	8.86	12.3	.	.	.	0.9	7	50	0.6
9	85	6	8.91	12.4	.	.	.	0.2	1	70	0.2
9	85	6	8.92	12.4	.	.	.	0.5	3	90	0.5
9	85	6	8.96	12.4	.	.	.	0.2	4	60	0.2
9	85	6	8.97	12.4	.	.	.	0.1	3	100	0.1
9	85	6	8.99	12.4	.	.	.	0.4	.	80	0.3
9	85	6	9-10KM	12.4	119	79
9	85	6	9.00	12.4	.	.	.	0.1	3	110	0.1
9	85	6	9.02	12.4	.	.	.	0.1	2	30	0.1
9	85	6	9.03	12.4	.	.	.	0.1	2	70	0.1
9	85	6	9.04	12.4	.	.	.	0.1	2	100	0.1
9	85	6	9.04	12.5	.	.	.	0.1	1	50	0.1
9	85	6	9.11	12.5	.	.	.	0.1	1	60	0.1
9	85	6	9.17	12.5	.	.	.	0.2	2	90	0.3
9	85	6	9.19	12.5	.	.	.	0.1	2	80	0.1
9	85	6	9.20	12.5	.	.	.	0.1	1	80	0.1
9	85	6	9.24	12.5	.	.	.	0.3	5	70	0.7
9	85	6	9.29	12.5	.	.	.	0.2	3	100	0.2
9	85	6	9.34	12.6	.	.	.	0.25	1	70	0.3
9	85	6	9.35	12.6	.	.	.	0.1	1	90	0.1
9	85	6	9.40	12.6	.	.	.	0.25	1	90	0.2
9	85	6	9.41	12.6	.	.	.	0.2	1	100	0.2
9	85	6	9.44	12.6	0.9	.	.	2	0.8	5	70
9	85	6	9.51	12.7	.	.	.	0.1	7	120	0.1
9	85	6	9.53	12.7	.	.	.	0.5	6	70	0.4
9	85	6	9.57	12.8	4	0.2	6	30
9	85	6	9.62	12.8	.	.	.	0.3	4	70	0.5
9	85	6	9.63	12.8	.	.	.	0.35	2	110	0.6
9	85	6	9.64	12.8	.	.	.	0.3	3	70	0.6
9	85	6	9.65	12.8	.	.	.	0.1	1	70	0.1
9	85	6	9.66	12.8	.	.	.	0.1	1	70	0.1
9	85	6	9.71	12.8	.	.	.	0.1	1	70	0.1
9	85	6	9.73	12.8	.	.	.	0.1	1	70	0.1
9	85	6	9.74	12.9	.	.	.	0.4	4	70	0.4

CORRIDOR 9

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	9.75	12.9	.	.	.	0.1	1	70	0.1
9	85	6	9.76	12.9	.	.	.	0.25	3	70	0.2
9	85	6	9.78	12.9	.	.	.	0.4	2	70	0.3
9	85	6	9.80	13.0	.	.	.	0.25	1	70	0.2
9	85	6	9.81	13.0	.	.	.	0.25	2	70	0.2
9	85	6	9.83	13.0	.	.	.	0.3	1	70	0.25
9	85	6	9.86	13.0	.	.	.	0.25	2	70	0.25
9	85	6	9.89	13.0	.	.	.	0.25	2	70	0.25
9	85	6	9.92	13.0	.	.	.	0.2	2	70	0.2
9	85	6	9.94	13.0	.	.	.	0.25	1	70	0.25
9	85	6	9.95	13.0	.	.	.	0.2	1	70	0.2
9	85	6	9.98	13.0	.	.	.	0.6	3	90	0.5
9	85	6	9.99	13.0	.	.	.	0.4	3	80	0.3
9	85	6	10-11KM	13.0	167	127
9	85	6	10.03	13.0	.	.	.	0.3	3	90	0.3
9	85	6	10.05	13.0	.	.	.	0.4	2	90	0.4
9	85	6	10.08	13.0
9	85	6	10.10	13.0	.	.	.	0.4	2	80	0.2
9	85	6	10.12	13.0	.	.	.	0.4	3	70	0.3
9	85	6	10.13	13.0	.	.	.	0.8	2	80	0.6
9	85	6	10.14	13.0	.	.	.	0.2	1	70	0.2
9	85	6	10.22	13.0	.	.	.	0.3	2	70	0.2
9	85	6	10.23	13.0	.	.	.	0.25	5	70	0.25
9	85	6	10.24	13.0	.	.	.	0.4	7	120	0.3
9	85	6	10.27	13.1	.	.	.	0.1	2	70	0.1
9	85	6	10.27	13.1	.	.	.	0.1	2	70	0.1
9	85	6	10.30	13.1	.	.	.	0.1	2	30	0.1
9	85	6	10.35	13.1	.	.	.	0.2	2	90	0.2
9	85	6	10.36	13.1	.	.	.	0.3	2	90	0.25
9	85	6	10.38	13.1	.	.	.	0.1	3	40	0.1
9	85	6	10.39	13.1	.	.	.	0.3	7	50	0.2
9	85	6	10.45	13.2	.	.	.	0.1	1	90	0.1
9	85	6	10.48	13.2
9	85	6	10.49	13.1	.	.	.	0.2	5	60	0.2
9	85	6	10.53	13.2
9	85	6	10.53	13.2	.	.	.	0.3	2	90	0.3
9	85	6	10.55	13.2	.	.	.	0.25	1	90	0.25
9	85	6	10.57	13.2	.	.	.	0.1	2	90	0.1
9	85	6	10.60	13.3	.	.	.	0.4	4	30	0.6
9	85	6	10.62	13.3	.	.	.	0.1	3	30	0.1
9	85	6	10.65	13.3	.	.	.	0.1	1	70	0.1

CORRIDOR 9

CRDR#	Year	Tr#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	10.66	13.3	.	.	.	0.1	1	70	0.1
9	85	6	10.69	13.4	.	.	.	0.5	5	110	0.6
9	85	6	10.70	13.4	15	.	50	40
9	85	6	10.70	13.4	.	.	.	0.3	7	70	0.3
9	85	6	10.73	13.4	.	.	.	0.3	5	30	0.3
9	85	6	10.75	13.4	.	.	.	0.35	6	100	0.3
9	85	6	10.76	13.4	.	.	.	0.5	4	100	0.5
9	85	6	10.78	13.5	.	.	.	0.4	3	80	0.5
9	85	6	10.79	13.5	.	.	.	0.4	2	80	0.5
9	85	6	10.81	13.5	2	.	5	90
9	85	6	10.83	13.5	.	.	.	0.3	3	80	0.2
9	85	6	10.88	13.5	.	.	.	0.2	5	100	0.3
9	85	6	10.91	13.3	12	0.2	30	90
9	85	6	10.96	13.3	.	.	.	0.3	2	80	0.25
9	85	6	10.96	13.3	.	.	.	0.1	4	90	0.1
9	85	6	10.98	13.5	.	.	.	0.3	5	90	0.2
9	85	6	10.99	13.5	.	.	.	0.1	1	40	0.1
9	85	6	11-12KM	13.5	160	72
9	85	6	11.04	13.5	.	.	.	0.2	1	50	0.2
9	85	6	11.05	13.5	.	.	.	0.1	2	50	0.1
9	85	6	11.06	13.5	.	.	.	0.3	3	90	0.25
9	85	6	11.09	13.5	.	.	.	0.2	2	90	0.2
9	85	6	11.10	13.6	8	0.8	35	90
9	85	6	11.18	13.6	.	.	.	0.8	10	80	0.8
9	85	6	11.20	13.7	.	.	.	0.3	4	80	0.3
9	85	6	11.20	13.7	.	.	.	0.3	2	60	0.3
9	85	6	11.24	13.8	.	.	.	0.3	3	70	0.2
9	85	6	11.28	13.8	.	.	.	0.2	2	40	0.2
9	85	6	11.32	13.9	.	.	.	0.6	2	70	0.5
9	85	6	11.32	13.9	.	.	.	0.1	1	40	0.1
9	85	6	11.34	14.0	.	.	.	0.1	2	90	0.1
9	85	6	11.37	14.0	.	.	.	0.35	3	90	0.2
9	85	6	11.40	13.9	12	0.35	50	50
9	85	6	11.43	13.9	.	.	.	0.1	5	15	0.1
9	85	6	11.49	13.8	.	.	.	0.3	3	110	0.2
9	85	6	11.51	13.8	.	.	.	0.2	3	70	0.2
9	85	6	11.53	13.7	.	.	.	0.6	12	70	0.6
9	85	6	11.61	13.7	4	0.1	8	100
9	85	6	11.66	13.7	.	.	.	0.1	3	120	0.1
9	85	6	11.68	13.6	.	.	.	0.2	4	60	0.2
9	85	6	11.71	13.6	.	.	.	0.1	2	40	0.1

CORRIDOR 9

CRDP#	Year	T#	SEG	DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMFRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6		11.73	13.7	.	.	.	0.35	4	60	0.35
9	85	6		11.75	13.7	.	.	.	0.2	2	100	0.2
9	85	6		11.77	13.7	.	.	.	0.1	2	70	0.1
9	85	6		11.82	13.5	.	.	.	0.1	3	80	0.1
9	85	6		11.90	13.8	.	.	.	0.1	1	60	0.1
9	85	6	12-13KM	14.0		167	29
9	85	6		12.02	14.0	.	.	.	0.5	4	50	0.5
9	85	6		12.08	14.0	.	.	45	0.1	1	110	0.1
9	85	6		12.09	14.1	.	.	.	0.2	1	100	0.2
9	85	6		12.10	14.1	.	.	200	0.1	1	355	0.1
9	85	6		12.22	14.2	.	.	.	0.2	2	80	0.2
9	85	6		12.32	14.3	.	.	.	0.4	3	70	0.3
9	85	6		12.42	14.4	.	.	.	0.1	3	100	0.1
9	85	6		12.45	14.4	.	.	.	0.2	4	100	0.2
9	85	6		12.48	14.4	.	.	150	0.1	1	140	0.1
9	85	6		12.53	14.3	.	.	.	0.1	1	60	0.1
9	85	6		12.62	14.4	.	.	.	0.4	10	70	0.4
9	85	6		12.63	14.4	.	.	.	0.3	4	50	0.3
9	85	6		12.67	14.4	.	.	.	0.8	4	60	0.7
9	85	6		12.67	14.4
9	85	6		12.86	14.5
9	85	6		12.91	14.5	.	.	.	0.2	5	70	0.2
9	85	6		12.93	14.5	.	.	.	0.1	4	70	0.1
9	85	6		12.95	14.5	.	.	.	1.1	5	70	0.75
9	85	6	13-14KM	14.6		197	26
9	85	6		13.04	14.6
9	85	6		13.13	14.7	.	.	.	0.1	4	60	0.1
9	85	6		13.19	14.7	.	.	.	0.1	2	80	0.1
9	85	6		13.22	14.7	.	.	.	0.1	4	70	0.1
9	85	6		13.23	14.7	.	.	.	0.1	4	110	0.1
9	85	6		13.29	14.7	.	.	.	0.1	4	70	0.1
9	85	6		13.33	14.7	.	.	.	0.6	9	60	0.4
9	85	6		13.38	14.7	.	.	.	0.5	4	50	0.6
9	85	6	14-15KM	15.5		278	42
9	85	6		14.51	15.5
9	85	6		14.55	15.5	.	.	.	0.25	4	20	0.25
9	85	6		14.56	15.5	.	.	.	0.3	3	60	0.3
9	85	6		14.63	15.6	.	.	100	0.1	2	40	0.1	90
9	85	6		14.67	15.7	.	.	.	0.2	4	100	0.2
9	85	6		14.67	15.7	.	.	.	0.2	4	50	0.2
9	85	6		14.71	15.7	.	.	.	0.1	3	80	0.1

CORRIDOR 9

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMR/H	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	14.72	15.7	.	.	.	0.1	2	60	0.1
9	85	6	14.76	15.7	0.7	.	.	9	0.1	25	80
9	85	6	14.83	15.9	.	.	.	0.1	1	30	0.1
9	85	6	14.84	16.0	.	.	25	0.1	2	80	0.1
9	85	6	14.95	16.2	.	.	.	0.1	1	90	0.1
9	85	6	14.97	16.2	.	.	.	0.3	2	90	0.3
9	85	6	14.99	16.2	.	.	.	0.1	1	90	0.1
9	85	6	15-16KM	16.2	199	54
9	85	6	15.02	16.2	.	.	.	0.1	2	40	0.1
9	85	6	15.04	16.2	0.6	.	60	17	0.1	50	40
9	85	6	15.14	16.1	0.6	.	80	16	0.5	80	100
9	85	6	15.29	16.1	.	.	.	0.3	3	20	0.4
9	85	6	15.37	16.2	.	.	.	0.1	2	60	0.1
9	85	6	15.41	16.2	.	.	.	0.4	4	70	0.3
9	85	6	15.56	16.5	.	.	.	0.2	2	60	0.2
9	85	6	15.60	16.6	.	.	.	0.2	3	110	0.2
9	85	6	15.65	16.7	0.2	.	.	5	0.3	14	80
9	85	6	15.69	16.7	4	0.2	7	110
9	85	6	15.72	16.7	.	.	.	0.1	3	60	0.1
9	85	6	15.84	16.8	.	.	.	0.7	5	80	0.6
9	85	6	15.88	16.8	2	0.7	17	50
9	85	6	15.98	16.9	.	.	.	0.2	1	80	0.2
9	85	6	15.98	17.0	.	.	.	0.3	2	70	0.2
9	85	6	16-17KM	17.0	153	21
9	85	6	16.02	17.0	.	.	.	0.6	6	80	0.6
9	85	6	16.05	17.0	.	.	.	0.1	2	120	0.1
9	85	6	16.07	17.0	2	0.3	10	100
9	85	6	16.09	17.1	.	.	.	0.1	3	100	0.1
9	85	6	16.19	17.1	.	.	.	1.1	10	70	1.1
9	85	6	16.33	17.2	.	.	.	0.25	4	80	0.25
9	85	6	16.35	17.2	.	.	.	1.1	13	70	1
9	85	6	16.37	17.2	.	.	.	0.25	2	50	0.25
9	85	6	16.40	17.2	.	.	.	0.25	3	110	0.25
9	85	6	16.49	17.3	.	.	.	0.8	12	70	1.1
9	85	6	16.51	17.3	.	.	.	0.1	2	70	0.1
9	85	6	16.58	17.4	.	.	120	0.1	4	0	0.1
9	85	6	16.64	17.4	.	.	.	0.4	3	40	0.5
9	85	6	16.66	17.4	2	1	7	50
9	85	6	16.69	17.4	.	.	.	0.7	2	60	0.6
9	85	6	16.71	17.4	.	.	.	1	5	80	0.8
9	85	6	16.71	17.4	.	.	.	0.2	3	50	0.5

CORRIDOR 9

CRDR#	Year	T#	SEG/DIST	Depth	TG	TDG	SGL	SGD	SGW	SGO	SMRH	DIM	MGL	MG#	MGD	MGW	MGO
9	85	6	16.76	17.5	.	.	.	0.5	7	70	0.4
9	85	6	16.76	17.5	.	.	.	0.1	8	110	0.1
9	85	6	17-18KM	18.2	140	17	.	.	2	100	0.1
9	85	6	17.12	18.2	.	.	.	0.1	2	100	0.1
9	85	6	17.22	18.2	.	.	.	0.2	3	100	0.2
9	85	6	17.57	18.3
9	85	6	17.62	18.4
9	85	6	17.63	18.5
9	85	6	17.98	18.7	.	.	.	1	7	100	0.8
9	85	6	18-19KM	18.7	138	32
9	85	6	18.16	18.7
9	85	6	18.22	18.7	.	.	.	0.1	2	50	0.1
9	85	6	18.22	18.7	.	.	.	0.1	5	140	0.1
9	85	6	18.28	18.7
9	85	6	18.55	18.7	.	.	.	0.9	4	30	1
9	85	6	15.59	18.7
9	85	6	18.74	18.7	.	.	.	0.3	3	70	0.4
9	85	6	18.80	18.7
9	85	6	18.87	18.7
9	85	6	18.96	18.7	.	.	.	1	4	70	1.1